


# WORKSHOP EQUIPMENT

Mobile or stationary: tool trolleys and workbenches from GEDORE are real organisational talents and mobile workplaces at the same time. They therefore prove to be indispensable helpers in workshops and industrial sites.

GEDORE has been developing and manufacturing tool trolleys and rolling workbenches since 1954. The early Inspector and Adjutant models are still classics today.

With technical evolution, GEDORE has constantly developed the features further. Robust and stable bodies made from particularly thick steel sheet, scratch-resistant powder coating, precision ball bearings for fixed and swivel castors and the special GEDORE high-performance chassis make the workshop assistants so special.

Everyday work is becoming increasingly systematised. Models with different drawer widths and depths, storage compartments and optionally available rear panels allow flexibility and speed. All tool trolleys and benches are compatible with GEDORE CT inserts and can be individually or modularly equipped.



## MAXIMUM WORK ORGANISATION

- 5 different drawer sizes
- Full compatibility with GEDORE tool modules
- Extensions with add-on chests, tool boards, hooks and drawer dividers





# DURABLE MANOEUVRABLE

## PERFECT IN FORM AND FUNCTION

- Wheels mounted on the outside for more stability
- Extremely robust, scratch and impact resistant and corrosion-resistant due to powder coating
- Extra-thick sheet steel and spot-welded components make for a heavy-duty body
- Special GEDORE chassis prevents damage to the axle and guarantees reliable running of the wheels



### INDIVIDUAL LOCKING SYSTEM

- Prevents unwanted opening, when being moved
- Easy release of the lock via tilt bar
- Automatically engages when closed



### CENTRAL LOCKING SYSTEM

- One central lock for all drawers and doors
- Safe and easy handling

### SMOOTH-RUNNING AND HIGH PERFORMANCE WHEELS

- Easy steering even when loaded
- Tyres made of special solid rubber
- roller bearings
- Abrasion resistant



## Tool trolley

### 2005

#### Tool trolley



- > Dimensions: H 812 x W 771 x D 478 mm
- > Tough ABS worktop, with 3 compartments for small parts
- > Side walls with Euro perforation 10 x 38 mm
- > Added safety due to heel protection and edge protection
- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 mm) fully extendable, removable

- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 500 kg
- > Special colours and designs available on request

Code	No.	Configuration	H	W	D	LD	CD	Weight
1803018	2005 0511	5x Type 1, H = 67 mm, 1x Type 2, H = 137 mm, 1x Type 3, H = 207 mm	985	875	606	10x	2x	83
2003546	2005 0321	3x Type 1, H = 67 mm, 2x Type 2, H = 137 mm, 1x Type 3, H = 207 mm	985	875	606	6x	2x	89
2003554	2005 0701	7x Type 1, H = 67 mm, 1x Type 3, H = 207 mm	985	875	606	10x	2x	87
2003562	2005 0810	8x Type 1, H = 67 mm, 1x Type 2, H = 137 mm	985	875	606	15x	3x	93

### 2005 0511 E

#### Tool trolley with safe locking drawers



- > Dimensions: H 812 x W 771 x D 478 mm
- > Overall dimensions (incl. fixed castors and handle): H 985 x W 864 x D 606 mm
- > Tough ABS, worktop with 3 compartments for small parts
- > Side walls with Euro perforation 10 x 38 mm
- > Added safety due to heel protection and edge protection
- > Single pull-out lock prevents opening of more than one drawer

- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 mm) fully extendable, removable
- > Each drawer has safety locking, easy single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 500 kg
- > Special colours and design finishes available on request

Code	No.	Configuration	H	W	D	LD	CD	Weight
2827379	2005 0511 E	5x Type 1, H = 67 mm, 1x Type 2, H = 137 mm, 1x Type 3, H = 207 mm	985	875	606	10x	2x	84

### 2005-TS-147


#### Tool trolley with tool assortment 147 pieces



- > Metric tool sizes
- > CT(Check Tool) bicolor foam tool modules

- > In tool trolley No. 2005 0511

Code	No.	Contents	H	W	D	Weight
2980282	2005-TS-147	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs + trolley with 7 drawers No. 2005 0511	985	775	475	104,3



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142

**2005-TS-190**


Tool trolley with tool assortment  
190 pieces



- > Tools in metric sizes
- > CT(Check Tool) bicolor foam tool modules

> In tool trolley No. 2005 0511

Code	No.	Contents	H	W	D	
2980290	2005-TS-190	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs + Tool trolley with 7 drawers No. 2005 0511	985	775	475	109,6



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142



TS CT2-6-8000



TS CT2-ITX19

**2005-TS-308**


Tool trolley with tool assortment  
308 pieces



- > Tools in metric sizes
- > CT(Check Tool) bicolor foam tool modules

> In tool trolley No. 2005 0511

Code	No.	Contents	H	W	D	
2980304	2005-TS-308	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Wrench set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + Tool trolley with 7 drawers No. 2005 0511	985	775	475	121,6



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142



TS CT2-6-8000




TS CT2-ITX19



TS CT2-2133-2163TX



TS CT2-7R-2



TS CT2-D30



TS CT2-710



407

## Tool trolley

### 2004

Tool trolley



- > Dimensions: H 812 x W 771 x D 478 mm
- > Tough ABS worktop, with 3 compartments for small parts
- > Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- > Front face with Euro perforation 10 x 38 mm
- > Added safety due to heel protection and edge protection

- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Total load capacity 500 kg

Code	No.	Icon	H	W	D	LD	CD	kg
1640704	2004 0810	8x Type 1, H = 67 mm, 1x Type 2, H = 137 mm	985	875	606	15x	3x	95
1640712	2004 0701	7x Type 1, H = 67 mm, 1x Type 3, H = 207 mm	985	875	606	10x	2x	90
1640720	2004 0620	6x Type 1, H = 67 mm, 2x Type 2, H = 137 mm	985	875	606	10x	2x	88
1640739	2004 0511	5x Typ 1, H = 67 mm, 1x Typ 2, H = 137 mm, 1x Typ 3, H = 207 mm	985	875	606	10x	2x	85
1640755	2004 0321	3x Type 1, H = 67 mm, 2x Type 2, H = 137 mm, 1x Type 3, H = 207 mm	985	875	606	6x	2x	82

### 2004 0511 E

Tool trolley with safe locking drawers



- > Dimensions: H 812 x W 771 x D 478 mm
- > Tough ABS worktop, with 3 compartments for small parts
- > Storage compartment with perforated sheet lining (Euro hole 10 x 38 mm), two removable small part drawers and door on the handle side
- > Front face with Euro hole 10 x 38 mm
- > Added safety due to heel protection and edge protection

- > Single pull-out lock prevents opening of more than one drawer
- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Total load capacity 500 kg

Code	No.	Icon	H	W	D	LD	CD	kg
2827360	2004 0511 E	5x Type 1, H = 67 mm, 1x Type 2, H = 137 mm, 1x Type 3, H = 207 mm	985	875	606	10x	2x	84

### WSL-M6

Tool trolley workster smartline with 6 drawers



- > Dimensions: H 903x B 629x D 510 mm
- > Worktop with PP plastic cover with front slit and non-slip protective edge
- > Front face with Euro hole 10 x 38 mm
- > Sides rounded off – a minimum of abutting edges
- > Individual drawer stopping stops more than one drawer being opened, one-handed operation
- > Central locking with cylinder lock

- > 6 wide drawers (W 480 x D 400 mm) fully extending
- > Load capacity per drawer 20 kg
- > Total load capacity 300 kg

Code	No.	Icon	H	W	D	kg
3100707	WSL-M6	5x Type 1, H = 80 mm, 1x Type 2, H = 160 mm	903	629	510	48

**WSL-L7**

Tool trolley workster smartline with 7 drawers



- > Dimensions: H 1045 x W 785 x D 510 mm
- > Worktop with PP plastic cover with front slit and non-slip protective edge, as well as additional small compartments
- > Front face with Euro hole 10 x 38 mm
- > Sides rounded off – a minimum of abutting edges
- > Individual drawer stopping stops more than one drawer being opened, one-handed operation
- > Central locking with cylinder lock
- > 7 wide drawers (W 640x D 400 mm) fully extending
- > Load capacity per drawer 20 kg
- > Total load capacity 400 kg

Code	No.		H	W	D	
2977311	WSL-L7	5x Type 1, H = 80 mm, 2x Type 2, H = 162,5 mm	1.045	785	510	85


**WSL-L-TS-147**

Tool trolley workster smartline with 147-piece tool assortment



- > Tools in metric sizes
- > CT(Check Tool) bicolor foam tool modules

Code	No.	Contents	H	W	D	
2980312	WSL-L-TS-147	1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs. Combination spanner set in CT module no. TS CT2-7, 24 pcs. Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs. Pliers range in CT module no. TS CT2-142, 28 pcs. + Tool trolley workster smartline no. WSL-L7	1.045	785	510	97



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142


**WSL-L-TS-190**

Tool trolley workster smartline 190 pieces



- > Tools in metric sizes
- > CT(Check Tool) bicolor foam tool modules

Code	No.	Contents	H	W	D	
2980320	WSL-L-TS-190	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs + Tool trolley workster smartline No. WSL-L7	1.045	785	510	93,6



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142



TS CT2-6-8000




TS CT2-ITX19

## Tool trolley

### WSL-L-TS-308


Tool trolley workster smartline  
308 pieces



> Tools in metric sizes

> CT(Check Tool) bicolor foam tool modules

Code	No.	Contents	H	W	D	
2980347	WSL-L-TS-308	1/4"+1/2" socket wrench assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination wrench set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs. Pliers assortment in CT module No. TS CT2-142, 28 pcs. Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs. 1/2" set of screwdriver sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Wrench set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + Tool trolley workster smartline No. WSL-L7	99	785	510	105,6



TS CT2-D19-D20



TS CT2-7



TS CT2-2154SK-119



TS CT2-142



TS CT2-6-8000




TS CT2-ITX19



TS CT2-2133-2163TX



TS CT2-7R-2



TS CT2-D30



TS CT2-710



407

### WHL-L7

Tool trolley workster highline  
with 7 drawers



- > Dimensions: H 1045 x W 785 x D 510 mm
- > Work platform with PP plastic cover with front flattening and roll protection edge, as well as small additional storage compartments, can and screwdriver holder
- > Stainless steel insert in top
- > Front face with Euro hole 10 x 38 mm
- > Sides rounded off – minimising abutting edges
- > Individual drawer stopping stops more than one drawer being opened, one-handed operation

- > Central locking with cylinder lock and security key
- > 5 flat, wide drawers (W 640 x D 400) with full extension
- > 2 high, wide drawers (W 640 x D 400) with full extension
- > Load capacity per drawer 40 kg
- > Total load capacity 500 kg

Code	No.		H	W	D	
3033708	WHL-L7	5x Type 1, H = 80 mm, 2x Type 2, H = 160 mm	1.045	785	510	84

**1580**  
Tool trolley  
with 4 drawers



- > Dimensions: H 930 x W 625 x D 400 mm
- > Double sided metal shutters to secure the whole internal space
- > worktop with tough ABS plastic plate
- > Front face with Euro hole 10 x 38 mm
- > Added safety due to heel protection and edge protection

- > Central locking with cylinder lock
- > 4 wide drawers (W 480 x D 325 x H 45 mm), all drawers extendable on both sides
- > 1 threaded insert M14x1.5 - M14, No. 181/210
- > Load capacity per drawer 20 kg
- > Total load capacity 300 kg

Code	No.	H	W	D	LD	CD	
6627550	1580	930	625	400	8x	2x	41

**1578**  
Tool trolley



- > Dimensions: H 930 x W 605 x D 375 mm
- > Tough ABS worktop, with 3 compartments for small parts
- > Added safety due to heel protection

- > Central locking with cylinder lock
- > All drawers extendable on both sides
- > Load capacity per drawer 20 kg
- > Total load capacity 200 kg

Code	No.	H	W	D	LD	CD	
9018140	1578	930	605	375	6x	2x	43

**1430**  
Tool chest



- > Especially suitable as attachment for tool trolley 1580
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 305 x W 625 x D 400 mm
- > Shelf made of ABS plastic
- > Central locking with cylinder lock

- > 3 wide drawers (W 480 x D 325 mm) with full extension, removable
- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg

Code	No.	H	W	D	LD	CD	
6618130	1430	305	625	400	6x	2x	24

**2430**  
Tool chest



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 345 x W 775 x D 475 mm
- > Tough ABS worktop, with 3 compartments for small parts
- > Central locking with cylinder lock

- > Wide drawers (W 640 x D 400 x H 67 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg

Code	No.	H	W	D	LD	CD	
1888927	2430	345	775	475	6x	2x	34



2004 HP

Wood plate




- > To be inserted into the plastic lid to obtain a flat working surface
- > Made of multiplex beech plywood
- > Suitable for tool trolleys 2004 and 2005 and tool chest 2430

- > No. 2004 HP until year of construction 03/2014 for depth 435 mm, No. 2004 HP-14 from year of construction 04/2014, for depth 475 mm

Code	No.	W	D	mm	Version	kg
1446967	2004 HP	590	410	30	until year 03/2014	5,4
2879883	2004 HP-14	563	409	30	from year 04/2014	5

R 2004 L

Rear panel



- > Automatically liftable with 2 gas pressure springs, lockable with cylinder lock
- > Square holes 10 x 38 mm for tool hooks and holders No. 1500 H

- > Suitable for tool trolleys No. 2004 and No. 2005 (also for old No. 2002er/2003er trolleys)

Code	No.	H	W	D	kg
1446169	R 2004 L	768	770	116	24

RT 2004 L

Rear panel board



- > Can be attached to 2004 and 2005 (as well as old models 2002 and 2003)

- > Square holes 10 x 38 mm for tool hooks and holders No. 1500 H

Code	No.	H	W	D	kg
2663104	RT 2004 L	715	765	30	11

1505

Mobile workbench



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 900 x W 1100 x D 652 mm
- > 40 mm thick multiplex beech plywood board, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > Added safety due to heel protection
- > Central locking with cylinder lock
- > 5 wide drawers (W 480 x D 550 mm) with partial extension (505 mm), removable

- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg
- > Total load capacity 2000 kg, 500 kg when mobile
- > Absolutely stable standing when lowered
- > Mobile due to hydraulic raising mechanism, just lift the pull handle
- > Special colours and designs available on request



Code	No.	H	W	D	mm	LD	CD	kg
6621780	1505	900	1.100	652	40	9x	9x	139

## 1506 XL

Mobile workbench extra width



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 985 x W 1250 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > With 2 similar drawer blocks
- > Added safety due to heel protection
- > Central locking with cylinder lock per drawer unit, keyed alike
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable

- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	—	H	W	D	mm	LD	CD	kg
2528088	1506 XL 2511	10x Type 1, H = 67 mm, 2x Type 2, H = 137 mm, 2x Type 3, H = 207 mm	985	1.250	550	30	15x	3x	141
2528096	1506 XL 2810	16x Type 1, H = 67 mm, 2x Type 2, H = 137 mm	985	1.250	550	30	15x	3x	156

## 1507 XL

Mobile workbench extra-wide drawers



- > Dimensions: H 985 x W 1200 x D 625 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > One drawer unit in trolley width
- > Front face with Euro hole 10 x 38 mm
- > Added safety due to heel protection
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Central locking with cylinder lock
- > Wide drawers (W 998 x D 474 mm) fully extendable, removable

- > Individual drawer stopping stops more than one drawer being opened, one-handed operation
- > Load capacity per drawer 80 kg
- > GEDORE high-performance running gear, total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	—	H	W	D	mm	LD	CD	kg
3127788	1507 XL 03200	3x Type 2, H = 101,5 mm, 2x Type 3, H = 155 mm	985	1.200	635	30	1x	x	130
3127796	1507 XL 40200	4x Type 1, H = 75 mm, 2x Type 3, H = 155 mm	985	1.200	635	30	3x	x	136
3127818	1507 XL 04010	4x Type 2, H = 101,5 mm, 1x Type 4, H = 208 mm	985	1.200	635	30	1x	x	130
3127826	1507 XL 30101	3x Type 1, H = 75 mm, 1x Type 3, H = 155 mm, 1x Type 5, H = 235 mm	985	1.200	635	30	3x	x	130
3127834	1507 XL 50001	5x Type 1, H = 75 mm, 1x Type 5, H = 235 mm	985	1.200	635	30	3x	x	136

## 1504 XL

Mobile workbench extra width with 7 drawers



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 985 x W 1250 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > Added safety due to heel protection
- > Central locking with cylinder lock
- > Each drawer with safety locking, single-hand operation

- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	—	H	W	D	mm	LD	CD	kg
1988468	1504 XL	1x Type 1, H. = 67 mm extra wide 4x Type 2, H. = 67 mm 1x Type 3, H. = 137 mm 1x Type 4, H. = 207 mm	985	1.250	550	30	10x	2x	124

1504  
Mobile workbench



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 985 x B 1100 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > With rear panel, square holes 10 x 38 mm, can be lowered, can be extended by 2 gas pressure springs
- > Added safety due to heel protection
- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable

- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 700 kg, in mobile operation 500 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	Icon	Version	H	W	D	mm	LD	CD	Weight
1814923	1504 0810		Mobile workbench with 9 drawers	985	1.100	550	30	15x	3x	111
1814931	1504 0701		Mobile workbench with 8 drawers	985	1.100	550	30	10x	2x	105
1814958	1504 0321		Mobile workbench with 6 drawers	985	1.100	550	30	6x	2x	99
6622830	1504 0511		Mobile workbench with 7 drawers	985	1.100	550	30	10x	2x	102
6623050	1504 0511 S		Mobile workbench with 7 drawers and vice	985	1.100	550	30	10x	2x	112,48

BR 1504  
Mobile workbench



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 985 x B 1100 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > With rear panel, square holes 10 x 38 mm, can be lowered, can be extended by 2 gas pressure springs
- > Added safety due to heel protection
- > Central locking with cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable

- > Each drawer with safety locking, single-hand operation
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 700 kg, in mobile operation 500 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	Designation	H	W	D	mm	LD	CD	Weight
6623990	BR 1504 0511 LH	Workbench with rear panel + hook assortment	985	1.100	550	30	10x	2x	130
6624450	BR 1504 0511 L	Workbench with rear panel	985	1.100	550	30	10x	2x	128

B 1500 L  
Workbench with tool cabinet



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 900 x W 2000 x D 875 mm
- > 40 mm thick multiplex beech plywood board, surface additionally protected by linseed oil varnish
- > Large storage space with shutter
- > Added safety due to heel protection
- > Shutter with cylinder lock
- > Back panel with square holes 10 x 38 mm

- > Separate central locking of drawers and shutter with cylinder locks
- > 5 wide drawers (W 480 x D 550 mm) with partial extension (505 mm), removable
- > Load capacity per drawer 40 kg
- > Total load capacity (workbench) 2000 kg
- > Special colours and designs available on request

Code	No.	Version	H	W	D	mm	LD	CD	Weight
6618050	B 1500 L	Workbench with sheet metal shutter	900	2.000	875	40	9x	9x	166
6618210	BR 1500 LH	Workbench with tool cabinet	1.790	2.000	875	40	9x	9x	203,73

## 1502

Mobile workbench



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 870 x W 950 x D 550 mm
- > Large, easily-accessible spaces for bulky parts
- > Added safety due to heel protection
- > Central locking with cylinder lock
- > Each drawer with safety locking, single-hand operation

- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > GEDORE high-performance running gear, total load capacity 1000 kg, in mobile operation 750 kg
- > The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads
- > Special colours and designs available on request

Code	No.	Designation	H	W	D	mm	LD	CD	kg
6620540	1502	Mobile workbench	870	950	550	25	10x	2x	82
6620620	1502 S	Mobile workbench with vice	870	950	550	25	10x	2x	85

## B 1525

Folding workbench




- > Dimensions: H 810/140 x W 1000 x D 700 mm
- > Strong beech wood worktop with zinc-plated steel edge protector, corrosion resistant

- > Total load capacity 500 kg
- > Steel tube, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Code	No.	H	W	D	mm	kg
6622910	B 1525	810	1.000	700	30	32

## R 1504 L

Rear panel



- > Can be attached to workbenches 1504 and 1505
- > Automatically liftable with 2 gas pressure springs, lockable with cylinder lock

- > Square holes 10 x 38 mm for tool hooks and holders No. 1500 H
- > Dimensions: H 640 x W 1000 x D 70 mm

Code	No.	W	D	H	kg
6623800	R 1504 L	1.000	70	640	27

## RT 1504 L

Rear panel board



- > Can be attached to workbenches 1504 and 1505

- > Square holes 10 x 38 mm for tool hooks and holders No. 1500 H

Code	No.	H	W	D	kg
2477025	RT 1504 L	715	1.025	30	12

## R 1504 XL-L

Rear panel



- > Can be attached to workbenches 1504 XL and 1506 XL
- > Square holes 10 x 38 mm for tool hooks and holders No. 1500 H

- > Dimensions: H 640 x W 1190 x D 70 mm

Code	No.	W	H	D	kg
2251787	R 1504 XL-L	1.190	640	70	29

## Workshop Equipment

### 1500 H 13

Anti-slip mat

Products sold by the metre



- > Enormous slip resistance on many different surfaces
- > Individually cut to size

- > Chemical resistant
- > Dimensions: W 475 x L 2000 mm

Code	No.	L m	L	
5790250	1500 H 13	2	475	0,54

### E-1500 - E-2500

Lengthwise divider slotted



- > In 2 different heights. The figures in brackets refer to the drawers that can be divided
- > In 5 different lengths for varying drawer depths

Code	No.	H	L	Suitable for models	
5315880	E-B 1500/38	60	548	B 1500 (1-3), 1505 (1-3)	0,312
5325840	E-1580/14	42	317	1580	0,136
5326490	E-1504 KL/57	60	397	1502(1-5), 1504 (1-6), 2004 (Typ 1)	0,208
5326570	E-2500/62	60	320	1430	0,19

### E-2005 CT

Lengthwise divider without slots



- > As separator/fixing for the modules No. 2005 CT2

Code	No.	H	
2104601	E-2005 CT H-40	40	0,248

### E-1580

Crosswise divider



- > Suitable for no. 1580
- > In 3 different lengths, to fit the lengthwise dividers

Code	No.	L	H	
1394878	E-1580/11-40	40	40	0,012
5325760	E-1580/11-80	80	40	0,024
5326140	E-1580/11-120	120	40	0,036

### E-3000

Crosswise divider



- > Suitable for models: no. 1430, B 1500 (1-3), 1502 (1-5), 1504 (1-6), 1504 XL, 1505 (1-3), 1506 XL (type 1), 2004 (type 1), 2005 (type 1), 2430

Code	No.	L	H	
5326060	E-3000/37-80	80	55	0,035
5326220	E-3000/37-120	120	55	0,05

### E-S 1507 XL SF1

Lengthwise divider set 5 pcs



Code	No.	Pieces	
3101258	E-S 1507 XL SF1	5	0,001

### E-S 1507 XL SF2-5

Lengthwise divider set 2 pcs



Code	No.	Pieces	
3101274	E-S 1507 XL SF2-5	2	1,62

### 1400 L

Tool cabinet



- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 970 x W 650 x D 250 mm
- > With shelf, 3 drawers and fixed tool holders
- > Including tool modules for sockets, ratchet, extensions etc.
- > Central locking with cylinder lock

Code	No.	H	W	D	
6612600	1400 L	970	650	250	33

### R 1500 L

Tool cabinet



- > Suitable as workbench top
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue
- > Dimensions: H 890 x W 1810 x D 170 mm
- > Rear panel with Euro holes 10 x 38 mm
- > Central locking with cylinder lock

Code	No.	H	W	D	
6617910	R 1500 L	890	1.810	170	78

### 1450 L

Tool panel empty



- > Further panels can be added in either direction, with special spacers for wall fitting
- > Euro holes 10 x 38 mm
- > Dimensions: L 987 x H 493 mm

Code	No.	L	H	
5617110	1450 L	987	493	5,5

### 1500 H 4

Base plate



- > With M6 thread for universal fixing
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	
1446185	1500 H 4	0,026

### 1500 H 2 - 1500 H 3

Spring clamp



- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
2008351	1500 H 2-10	31	10-12	0,025
2008378	1500 H 2-16	31	16-18	0,027
5803760	1500 H 2-13	31	12-16	0,026
5803840	1500 H 3	44	23-29	0,028

### 1500 H 0

Tool hook straight mandrel



- > ∅ 4 mm especially suitable for GEDORE screwdrivers with hanging hole
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
5803410	1500 H 0	50	4	0,028

## Workshop Equipment

### 1500 H 18

Tool hook  
straight mandrel



> Suitable for perforated panels with square holes 10 x 38 mm


Code	No.	↳ mm ↲	∅	
<b>2008386</b>	1500 H 18-50	50	6	0,034
<b>2008394</b>	1500 H 18-100	100	6	0,046
<b>2008408</b>	1500 H 18-150	150	6	0,056

### 1500 H 5

Paper roll holder



> Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
<b>5798660</b>	1500 H 5	250	6	0,094

### 1500 H 1

Tool hook  
inclined hook end



> Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
<b>5803680</b>	1500 H 1	50	4	0,028

### 1500 H 29

Tool hook  
inclined hook end



> Suitable for perforated panels with square holes 10 x 38 mm


Code	No.	↳ mm ↲	∅	
<b>2008572</b>	1500 H 29-50	50	6	0,034
<b>2008580</b>	1500 H 29-100	100	6	0,046

### 1500 H 30

Tool hooks  
for sockets



> Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L1	L2	∅	
<b>2008599</b>	1500 H 30	15	40	6	0,034

### 1500 H 20

Tool hook  
vertical hook end



> Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
<b>1879162</b>	1500 H 20-35	35	6	0,034
<b>2008440</b>	1500 H 20-75	75	6	0,046
<b>2008459</b>	1500 H 20-135	135	6	0,056


**1500 H 39**Tool holder  
for pliers

- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	D	
<b>2656582</b>	1500 H 39	230	0,03

**1500 H 19**Tool hook  
double, straight mandrel

- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
<b>2008416</b>	1500 H 19-50	50	6	0,074
<b>2008424</b>	1500 H 19-100	100	6	0,098
<b>2008432</b>	1500 H 19-150	150	6	0,118

**1500 H 21**Tool hook  
double, vertical hook end

- › For hammers and ratchets
- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	↳ mm ↲	∅	
<b>2008475</b>	1500 H 21-35	35	6	0,076
<b>1879170</b>	1500 H 21-50	50	6	0,08
<b>2008483</b>	1500 H 21-75	75	6	0,09

**1500 H 22**Tool holder  
for pliers

- › Suitable for perforated panels with square holes 10 x 38 mm


Code	No.	W	L	
<b>1879189</b>	1500 H 22-55	55	20	0,066
<b>2008491</b>	1500 H 22-35	35	20	0,062

**1500 H 31**

Round holder



- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	W	L	
<b>2008602</b>	1500 H 31	27	65	0,068

**1500 H 23**Machine holder for  
battery screwdriver

- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	∅	
<b>1879197</b>	1500 H 23-60	60,0	0,068
<b>2008513</b>	1500 H 23-40	40,0	0,068

**1500 H 33**

Pipe holder



- › Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	W	H	D	∅	
<b>2008629</b>	1500 H 33-60	58	67	74	60,0	0,114
<b>2008637</b>	1500 H 33-100	58	96	114	100,0	0,156



## Workshop Equipment

### 1500 H 24 Tool holder for screwdrivers



- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	Version	
<b>1879200</b>	1500 H 24-6	for 6 parts	0,1
<b>2008548</b>	1500 H 24-12	for 12 parts	0,4

### 1500 H 34 Drill-bit holder for 28 pieces



- > Suitable for perforated panels with square holes 10 x 38 mm
- > With 14 holes, diam.:  
2 ea. 3.0 4.2 6.5 7.5 8.5 16.5 mm, 1 ea. 10.5 12.5 mm

Code	No.	L	H	D	
<b>2008645</b>	1500 H 34-14	200	60	37	0,2

### 1500 H 27 Socket holder



- > For 11 Sockets
- > Hole diameter 10x 25 mm and 1x 27.5 mm
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>1920634</b>	1500 H 27	352	60	54	0,5

### 1500 H 25 Tool holder for 3 cans



- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	W	Ø	
<b>1879219</b>	1500 H 25-3	300	70,0	0,6

### 1500 H 25-8 Spray can holder for 8 spray cans



- > Suitable for perforated panels with square holes 10 x 38 mm
- > With carrying handle

Code	No.	W	
<b>3127907</b>	1500 H 25-8	99	2,05

### 1500 H 37 Spanner holder



- > Suitable for perforated panels with square holes 10 x 38 mm
- > For 8 spanners no. 1 B, 2, 4, 6, 7, 7 R, 7 UR

Code	No.	L	H	D	
<b>2008696</b>	1500 H 37	124	66	145	0,22

### 1500 H 38 Spanner holder



- > Suitable for perforated panels with square holes 10 x 38 mm
- > For 10 spanners, suitable for no. 2, 6

Code	No.	W	H	D	
<b>1920626</b>	1500 H 38	75-147	227	60	0,4

### 1500 H 28

Shelf



- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>1933191</b>	1500 H 28	496	168	303	3,19

### 1500 H 40

Paper roll holder



- > For paper rolls up to diameter 320 mm and width 320 mm
- > Suitable for all tool trolleys/benches with Euro holes 10 x 38 mm

Code	No.	
<b>2997754</b>	1500 H 40	1,1

### 1500 H 9

Tray




- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>1446924</b>	1500 H 9-75	456	50	75	0,854
<b>5792540</b>	1500 H 9-100	456	50	100	0,854

### 1500 H 10

Tray



- > Quadruple divided
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>5792620</b>	1500 H 10-100	456	50	100	0,84

### VS 19 H

Tool tray



- > for sockets
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	W	D	
<b>5152640</b>	VS 19 H	570	25-45	0,55

### VS 1582

Tray




- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>5150270</b>	VS 1582-3	320	100	90	1,118

### VS 245 H

Chisel holder empty



- > For 6 chisels
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	L	H	D	
<b>5456270</b>	VS 245 H	195	95	22	0,3

### H 6

Holder



- > For double open ended spanner sets no. 6
- > Suitable for perforated panels with square holes 10 x 38 mm

Code	No.	Version	
<b>5073930</b>	E-PH 6-8 L	Plastic holder empty for 8 spanners no. 6	0,018
<b>5074070</b>	E-PH 6-12 L	Plastic holder empty for 12 spanners no. 6	0,038

# **i** GEDORE WORKMO

The mobile arrangement-, transport- and working-system for maximum flexibility and safety



## 1 LIGHT

- Low weight due to aluminum-plastic mix
- Ergonomic working heights

## 2 INDIVIDUAL

- WorkMo adapts exactly to the requirements of your individual working day
- With the foam configurator the tool equipment can be arranged individually

## 3 STURDY

- Robust handling – lockable - durable
- With rounded plastic edges as impact and scratch protection

## 4 FLEXIBLE

- Expandable at any time (with castors, worktop etc.)
- For further system components see Sortimo®

## 5 COMPATIBLE

- with the Sortimo® L-BOXX® range
- with the GEDORE tool modules 1500 ES/1500 CT

## 6 DRAWER EQUIPMENT

- Ideal to equip WorkMo components with GEDORE tools – Be aware of the respective drawer widths:

• B2 = maximum 2x 1/3 modules or 1x 2/3 module



• B3 = maximum 4x 1/3 modules or 2x 2/3 modules



- Combines transport, order and work – ergonomically and efficiently
- Thanks to the modular design quickly disassembled into portable units
- Multifunctional – with system
- Ideal for all who need a flexible and mobile workplace
- Individual modules or directly as a workstation
- The intelligent way to work mobile and professionally!
- Light and load secured



Not included




**1110 WMW-2**

Tool trolley WorkMo W2



- > Consisting of: No. 1110 WM 24, 1110 WM 221, 1110 WMR 23 and 1110 WMHP 2
- > 6 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules

- > Wooden worktop for assembly work
- > Compatible with Sortimo® interior vehicle fittings and load safety
- > Dimensions: W 526 x D 396 x H 1172 mm

Code	No.	W	D	H	
2954435	1110 WMW-2	526	396	1.172	42,6

**1110 WMW-3**

Tool trolley WorkMo W3



- > Consisting of: No. 1110 WM 34, 1110 WM 321, 1110 WMR 23 and 1110 WMHP 3
- > 6 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules


- > Wooden worktop for assembly work
- > Compatible with Sortimo® interior vehicle fittings and load safety
- > Dimensions: W 789 x D 396 x H 1172 mm

Code	No.	W	D	H	
2954443	1110 WMW-3	789	396	1.172	52,8

**1110 WM 24**Tool box module WorkMo W2  
4 drawers H6

- > 4 drawers with full extension, suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® interior vehicle fittings and load safety


- > Load capacity per drawer 30 kg
- > Dimensions: 526 x 396 x 506 mm

Code	No.	W	D	H	
2954311	1110 WM 24	526	396	506	18,6

**1110 WM 221**Tool box module WorkMo W2  
2 drawers H6, compartment for L-BOXX®

- > 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® interior vehicle fittings and load safety

- > Load capacity per drawer 30 kg
- > Dimensions: W 526 x D 396 x H 506 mm

Code	No.	W	D	H	
2954338	1110 WM 221	526	396	506	15,26

## Workshop Equipment

### 1110 WM 34

Tool box module WorkMo W3  
4 drawers H6



- > 4 drawers with full extension, suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® interior vehicle fittings and load safety

- > Load capacity per drawer 60 kg
- > Dimensions: W 789 x D 396 x H 506 mm

Code	No.	W	D	H	
2954346	1110 WM 34	789	396	506	27,92

### 1110 WM 321

Tool box module WorkMo W3  
2 drawers H6, compartment for L-BOXX® + S-BOXX®



- > 2 drawers with full extension suitable for GEDORE 1500 ES/1500 CT modules
- > Compatible with Sortimo® vehicle and fixing equipment

- > Load capacity per drawer 60 kg
- > Dimensions: W 789 x D 396 x H 506 mm

Code	No.	W	D	H	
2954354	1110 WM 321	789	396	506	22,12

### 1110 WMHP 2

Wood plate  
for WorkMo B2



- > 20 mm thick laminated beech wood worktop
- > It is placed by clicking on the WorkMo Boxes B2 drawers to get a flat work surface
- > Dimensions: W 571 x D 426 x H 41 mm

Code	No.	W	D	H	
2954362	1110 WMHP 2	571	426	41	4,5

### 1110 WMHP 3

Wood plate  
for WorkMo B3



- > 20 mm thick multiplex beech wood worktop
- > It is placed by clicking on the WorkMo Boxes B2 drawers to get a flat work surface
- > Dimensions: W 834 x D 426 x H 41 mm

Code	No.	W	D	H	
2954370	1110 WMHP 3	834	426	41	4,5

### 1110 WMS 23

Locking system  
for WorkMo W2+W3



- > Protects drawers and BOXX®es against extraction
- > Secures the tools from unauthorised access

Code	No.	
2954389	1110 WMS 23	0,92

### 1110 WMR 23

Roller skids (pair)  
for WorkMo W2+W3



- > Makes the tool box modules mobile
- > 4 steerable wheels, 2 with total brake
- > Max. Load capacity: 150 kg (per roller skate 75 kg)

Code	No.	
2954397	1110 WMR 23	3,2

### 1110 WMR 24

Roller for WorkMo W2



- > Makes the tool box modules mobile
- > Compatible with Sortimo® vehicle and fixing equipment
- > Load capacity: 200 kg
- > Dimensions: 612 x 493 x 144 mm

Code	No.	
3002721	1110 WMR 24	8

### 1110 WMR 34

Roller for WorkMo W3



- > Makes the tool box modules mobile
- > Compatible with Sortimo® vehicle and fixing equipment
- > Load capacity: 200 kg
- > Dimensions: 854 x 493 x 144 mm

Code	No.	
3002713	1110 WMR 34	9

### 1110 WMT 23

Divider set  
for WorkMo drawers  
W2+W3



- > To divide the drawers
- > 1 cross divider, 2 lengthwise dividers and 7 mounting brackets

Code	No.	
2954419	1110 WMT 23	0,25

### 1110 WMSB 3

S-BOXX® B3  
with window



- > Display window for quick content checking
- > Ideal for the storage of consumables, such as screws etc.

Code	No.	W	D	H	
2954427	1110 WMSB 3	147	351	153	0,68