

# MOBILE TOOL STORAGE

Stow, organise, secure and transport:  
GEDORE has a solution for all these  
requirements in its extensive tool  
storage range.

Tight construction spaces, unpaved access roads,  
frequently changing work locations: workplaces  
outside the workshop are as varied as the work that  
has to be done there.

In addition to the tried and tested toolbox, which can  
withstand even the most adverse conditions on the

construction site, GEDORE offers a series of cases and  
the MIXX&CLICK® modular system. A solution based on  
the Sortimo® transport box system. The BOXX®en, tool  
modules and the extensive range of accessories offer  
every conceivable scope for individualisation and can be  
combined to form a well-organised "workshop-to-go".  
Another plus: MIXX&CLICK® is fully compatible with  
Sortimo's load securing concept from Sortimo®. Tool  
storage from GEDORE - flexible, mobile, safe and light.




## MOBILE WORK SOLUTIONS

- Versatile combinations
- Easy to transport
- Mobile storage systems



### GEDORE MODULAR ASSEMBLY KIT MIXX&CLICK®

- Tool assortments in the Sortimo® Transportbox System
- Easy-Click connection system for simple combination of several L-BOXXes
- Can be integrated into vehicles with TÜV-certified Sortimo® vehicle equipment



### STORAGE SPACE MIRACLE - CHESTS, CASES AND TOOLBOXES



- Large storage volume
- Fully extendable tool compartments
- High stability
- Tools always within reach
- Expandable with tool cards for case lids

### DURABLE MATERIALS

- Toolboxes made of extremely robust sheet steel
- Made for continuous use - materials are subjected to strict controls and stress tests
- The storage solutions of the MIXX&CLICK series are made of particularly durable plastic

## Mobile Tool Storage



### 1263 L Tool box 3 compartments



- > Great extendability of the tool compartments
- > Great stability even if only one side is opened
- > Dimensions:  
H 158 x W 420 x  
D 225 mm

Code	No.	H	W	L	
<b>6608250</b>	1263 L	158	420	225	4,4



### 1265 L Tool box 5 compartments



- > Great extendability of the tool compartments
- > Great stability even if only one side is opened
- > Dimensions:  
H 210 x W 420 x  
D 225 mm

Code	No.	H	W	L	
<b>6609060</b>	1265 L	210	420	225	5,84

### 1335 Tool box 5 compartments, long pattern



- > Great extendability of the tool compartments
- > Great stability even if only one side is opened
- > Dimensions:  
H 210 x W 535 x  
D 225 mm

Code	No.	H	W	L	
<b>6610580</b>	1335 L	210	535	225	6,84

### WK 1072 L Tool bag empty



- > With carrying handle and carrying strap
- > 17 open compartments, 1 of which with Velcro fastener

- > Additional 7 internal stretch tape holders

Code	No.	W	L	H	
<b>3100421</b>	WK 1072 L	515	335	360	2,4

### 1440 Z Tool box JUMBO zinc-plated



- > Made of specially galvanised sheet steel, for tough everyday use
- > Optimum corrosion protection, spray water protected

- > Stopper to hold the lid open
- > Lockable through padlock

Code	No.	H	W	L	
<b>6628280</b>	1440 Z-70	320	698	387	17
<b>6628360</b>	1440 Z-83	340	841	427	21
<b>6629170</b>	1440 Z-91	440	918	537	30


### 1440

Tool box JUMBO



- > Sheet steel construction with strong handles (except 1440-45, 1440-64)
- > With robust fittings, handles and lid locking in open position

- > No. 1440-45 without small parts insert

Code	No.	H	W	L	
<b>6616510</b>	1440-70	320	698	387	19
<b>6616780</b>	1440-83	340	841	427	23
<b>6616860</b>	1440-91	440	918	537	32
<b>6616940</b>	1440-100	320	998	387	25

### WK 1000 L

Tool case TOURING empty



- > Impact-resistant blown polypropylene, resistant to oil and acid and extremes of temperature and weather

- > With Check-Tool inserts
- > Delivery without tools

Code	No.	W	L	H	
<b>2881381</b>	WK 1000 L	430	360	160	1,96

### WK 1091 L

Tool case empty



- > Made from eco-friendly tanned cowhide
- > Quality workmanship with strong industrial seams
- > reinforced edges with aluminium angle brackets, metal parts durable riveted

- > Anti-Theft protection by 2 locks, delivery includes 2 keys

Code	No.	W	L	H	
<b>1953729</b>	WK 1091 L	430	200	290	4,2


### WK 1040 L

GEDORE Roller tool case empty



- > Drive handle with user-friendly telescopic handle
- > Wide wheelbase with 2 inline rollers provide for a tilt resistant drag
- > Robust aluminium frame with bumper protection, shells made of impact-resistant ABS plastic

- > Lockable with 2 tilting cylinder locks and one combination lock

Code	No.	W	L	H	
<b>3065391</b>	WK 1040 L	490	395	200	6,2


### WK 1041 L

Tool case large empty



- > Robust aluminium frame with bumper protection, shells made of impact-resistant ABS plastic
- > when the lid is open it is protected against unintentional closing by locking the safety lid holder

- > Lockable with 2 tilting cylinder locks and one combination lock


Code	No.	W	L	H	
<b>3065405</b>	WK 1041 L	490	395	185	4,9

# **i** MOBILITY AT ITS BEST

## 2 powerful partners - 1 system

- Tools, machines and material must be easily, safely, quickly and conveniently transported to the place of use i.e. in a preferably resources-saving manner.
- Lengthy loading times must be avoided at all cost - guaranteed load securing a pre-condition here!
- GEDORE's Sortimo® transport box system relies on a tried-and-tested mobility standard
- The perfect alliance for intelligent, efficient process and project design planning

**Sortimo®**  
Intelligent Mobility



### FOR YOUR SAFETY

- The GEDORE L-BOXX®es are fully compatible with Sortimo® vehicle settings
- GEDORE L-BOXX® quality is constantly examined on the basis of the strict Sortimo® directives. Sortimo® has its quality endorsed through crash tests organised by TÜV.
- If it comes to the worst, at least the tools stay where they belong - securely in their GEDORE L-BOXX®

### YOUR ADVANTAGE

- Intelligent order systems
- Flexible, modular and individual
- Ideal for mobile deployments
- Diverse and highly efficient
- Quick accessing of tools - perfect organisation
- Transport box standard - e.g. compatible with electrical tool manufacturers
- Guaranteed safety

**1100-01**  
MECHANIC tool  
assortment  
58 pieces




1100 L



1100 CT2-01

- > Especially suitable for the handyman or DIY enthusiast
- > CT(Check Tool) bicolor foam tool modules
- > Made of impact and shock resistant ABS plastic
- > For integration in vehicles with Sortimo® vehicle equipment

Code	No.	Contents	
<b>2658194</b>	1100-01	1/2" reversible ratchet No. 1993 U-20 1/2" extension no. 1990-10, 250 mm 1/2" universal joint No. 1995 1/2" socket wrench insert No. 19, SW 10 11 12 13 14 15 16 17 18 19 21 22 24 mm Adjustable open-end wrench No. 60 CP 8, 8". Universal Pliers No. 142 10 JC, 10". 2-component handle power side cutter No. 8316-160 JC, 160 mm 2C-Handle Multiple Pliers No. 8133-180 JC, 180 mm 2C handle engineer's hammer No. 600 H-500, 500 g Bricklayer's chisel No. 110-256, 250x16 mm Control cabinet key UNIVERSAL No. 45 S, for control cabinets and locks Miniature LED light No. TFK 649 Hinged base No. E-649 F for LED light No. TFK 649 Cable knife No. 0063-08, blade L. 80 mm Offset screwdriver set No. H 42-10, hexagon SW 1.3 1.5 2 2.5 3 4 5 6 8 10 mm Offset screwdriver No. SCL 43 TX-80, T9 T10 T15 T20 T25 T30 T40 VDE Screwdriver set No. VDE 2170-2160 PH-077 Slot 2.5 4 5.5, cross recess PH 0 1 2 Voltage Detector Slot No. 4615 3, 220-250 V, 3mm Wooden folding rule No. 4533-2, 2 m Warding file set no. 8728, flat file, triangular, square, half-round, round file + GEDORE L-BOXX® 136 No. 1100 L	9,5

<b>2936828</b>	1100 CT2-01	1/2" reversible ratchet No. 1993 U-20 1/2" extension No. 1990-10, 250 mm 1/2" universal joint No. 1995 1/2" socket No. 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 24 mm Adjustable wrench, open end No. 60 CP 8, 8" Universal pliers No. 142 10 JC, 10" Power side cutter No. 8316-160 JC, 160 mm 2C handle Multiple pliers No. 8133-180 JC, 180 mm 2C handle Engineers' hammer No. 600 H-500, 500 g Bricklayer's chisel No. 110-256, 250x16 mm Multi fitting key UNIVERSAL No. 45 S, for control cabinets and locking devices Miniature LED lamp No. TFK 649 Swivel end No. E-649 F for LED lamp No. TFK 649 Cable knife No. 0063-08, blades L. 80 mm	6,761
----------------	----------------	--	-------

Code	No.	Designation	
<b>2690055</b>	EI-1100-01	Foam insert 2/2 L-BOXX 136, empty	0,2





# MIXX & CLICK

The GEDORE modular system



The Sortimo transport box system is perfectly suited to the needs of mobile use. The basis for the MIXX&CLICK modular system is the tried and tested GEDORE L-BOXX® 136 with front handles and tool card in the lid, as well as the GEDORE i-BOXX® 72. These are multi-compatible and therefore extremely flexible, allowing a high degree of customisation. The MIXX&CLICK system is particularly impressive because of the countless combination options offered by the pre-configured GEDORE tool assortments - modules from other manufacturers, such as Bosch power tools, can also be used. In combination with other components from the Sortimo® world (transport boxes and system components), you can create a well-organised workshop "to go", that is tailored to your personal needs.



## 1 TOOL CARD

For individual upgrading or adaptation of the L-BOXX®, depending on the area of application



## 2 TOOL MODULES

For individual assembly of the L-BOXX® with 1/2 and 2/2 modules



## 3 I-BOXX® RACK-ACTIVE CLICKSYSTEM

Enables safe transport of your i-BOXX® tool assortments and is compatible with all L-BOXX®s

## 4 L-BOXX® ROLLER

Connect rollers and BOXX®s by putting them on and clicking them together

### GEDORE L-BOXX® 136 POWERED BY SORTIMO®



- Robust construction
- Tool easy and convenient to transport to the place of use
- Made of impact and shock-resistant ABS plastic
- Standard lid handle for carrying the L-BOXX® horizontally
- Additional hand-friendly front handle for carrying the L-BOXX® vertically
- Splash-proof
- With GEDORE tool card for more order and storage space
- Easy Click System: practical plug-in connection for two or more L-BOXX®s, for secure hold and easy transport
- Easy integration into vehicles with TÜV-tested Sortimo® vehicle equipment

**1100-02**

Tool case electrician in GEDORE L-BOXX® 136, 36 pieces


- > Especially suitable for professions in electrical engineering
- > CT(Check Tool) bicolor foam tool modules



**1100 L**




**1100 CT2-02**

Code	No.	Contents	
<b>2658208</b>	1100-02	Bricklayer's chisel No. 110-256, 250x16 mm Electrician's chisel No. 112-2510, 4kt 250x10x7 mm Engineer's hammer No. 600 H-500, 500 g Adjustable open-end wrench No. 60 CP 8, 8". Universal Pliers No. 142 10 JC, 10". Wire stripper No. 8097, automatic Multiple Pliers No.8133-180 JC, 180 mm 2C-Handle VDE side cutter No. VDE 8314-160 H, 160 mm VDE Flat nose pliers No. VDE 8132-200 H, 200 mm VDE Flat Nose Pliers No. VDE 8132 AB-200 H, angled 200 mm VDE Wire stripper No. VDE 8098-160 H, 160 mm VDE cable cutter No. VDE 8094, 200 mm Universal Cable Knife No. 4528, Blade-L. 50 mm Electrical insulating tape no. 4629, tape L.10 m Spatula No. 0175-06, sheet B. 60 mm Offset screwdriver No. H 42-10, hexagon SW 1.3 1.5 2 2.5 3 4 5 6 8 10 mm VDE Screwdriver set No. VDE 2170-2160 PH-077, slot 2.5 4 5.5 6.5 mm, cross recess PH 0 1 2 Voltage Detector Slot No. 4615 3, 220-250 V, 3mm Voltage Detector Slot No. VDE 4616.12-1000 V, 3 mm Switch cabinet key ELEKTRO No. 45 E Wooden folding rule No. 4533-2, 2 m + GEDORE L-BOXX® 136 No. 1100 L	7,674

<b>2936836</b>	1100 CT2-02	Bricklayer's chisel No. 110-256, 250x16 mm Electrician's chisel No. 112-2510, 4kt 250x10x7 mm Locksmith's hammer No. 600 H-500, 500 g Adjustable open-end wrench No. 60 CP 8, 8" Universal pliers No. 142 10 JC, 10" Stripping pliers No. 8097 Automatic multi-purpose pliers No.8133-180 JC, 180 mm VDE Side cutters No. VDE 8314-160 H, 160 mm VDE Flat round nose pliers No. VDE 8132-200 H, 200 mm VDE Flat round nose pliers No. VDE 8132 AB-200 H, angled 200 mm VDE Wire strippers No. VDE 8098-160 H, 160 mm VDE Cable cutter No. VDE 8094, 200 mm Universal cable knife No. 4528, blade-L. 50 mm electrical insulation tape No. 4629, tape-L.10 m spatula No. 0175-06, sheet-B. 60 mm	3,895
----------------	----------------	--	-------

Code	No.	Designation	
<b>2690047</b>	EI-1100-02	Foam insert 2/2 L-BOXX 136, empty	0,2





**1100-03**  
 INSTALLATION tool  
 assortment in  
 GEDORE L-BOXX® 136,  
 44 pieces



**1100 L**



**1100 CT2-03-100 B**



**1100 CT2-03-600 D**

- > Especially suitable for professions in sanitary, heating and air conditioning technology
- > CT(Check Tool) bicolor foam tool modules
- > With 2 stacked Check-Tool inserts

Code	No.	Contents	kg
<b>2658216</b>	1100-03	Open-end wrench with ring ratchet No. 7 R, SW 10 13 17 19 24 mm High-performance three-point pipe wrench ECK-SCHWEDE-snap No. 100 1.1/2, 1.1/2". Universal Pliers No. 142 10 TL, 10". Fitting wrench no. 322000, 260 mm Pipe cutter No. 232001, Ø 4-32 mm Pipe cutter No. 225011, stainless steel Ø 6-35 mm Miniature pipe cutter MINI-QUICK No. 231000, Ø 4-16 mm Cock block wrench set No. 381000 with extension 1/2" No. 1990-5 Combination Step Wrench No. 380100, with 5 graduations 3/8"-1 Engineer's hammer ROTBAND-PLUS No. 600 H-500 with hickory handle, 500 g Bricklayer's chisel No. 110-256, 250x16 mm Offset screwdriver No. SCL 43 TX-80, T9 T10 T15 T20 T25 T30 T40 Voltage Detector Slot No. VDE 4615. 12-1000 V, 3 mm Professional key UNIVERSAL No. 45 P, for climate and locks Offset screwdriver No. H 42-10, hexagon SW 1.3 1.5 2 2.5 3 4 5 6 8 10 mm Stand tap wrench No. 316500, 260 mm Wooden folding rule No. 4533-2, 2 m VDE Screwdriver set No. VDE 2170-2160 PH-077, slot 2.5 4 5.5 6.5 mm, cross recess PH 0 1 2	10,306
<b>2940590</b>	1100 CT2-03- 100 B	7 R 10 13 17 19 24 100 1.1/2 142 10 TL 322000 232001 225011 231000 381000 380100	4,39
<b>2940604</b>	1100 CT2-03- 600 D	600 H-500 110-256 SCL 43 TX-80 VDE 4616 45 P H 42-10 316500	2,622
Code	No.	Designation	kg
<b>2689979</b>	EI-1100-03-100 B	Foam insert 2/2 L-BOXX 136, bottom, empty	0,1
<b>2690039</b>	EI-1100-03-600 D	Foam insert 2/2 L-BOXX 136, lid, empty	0,2

**1100-BASIC**  
 STARTER Tool kit  
 in L-BOXX® 136, 23  
 pieces



**1100 L**



**1100 CT2-BASIC**

- > Basic equipment for all trades

Code	No.	Contents	kg
<b>2835983</b>	1100-BASIC	L-BOXX® 136 No. 1100 L + Assortment No. S 1100 W-001 + Assortment No. 1100 CT2-BASIC	6,1
<b>2835967</b>	1100 CT2- BASIC	Open-end wrench with ring ratchet No. 7 R, SW 10 12 13 14 15 16 17 18 19 mm Universal cable knife No. 4528, blade-L. 50 mm wood link scale No. 4533-2, 2 m Hobby saw No.406, blade-L. 145 mm flat chisel No. 95-200, 200x23x13 mm engineer's hammer No. 600 H-500, 500 g	2,4
Code	No.	Designation	kg
<b>2835975</b>	EI-1100 CT2- BASIC	Foam insert 2/2 L-BOXX 136, empty	0,2

**1100-1.04**

Universal puller set  
in L-BOXX® 136  
13 pieces

**1100 L****1100 CT2-1.04**

- > With 2- and 3-arm cross-beam
- > With rigid and slim legs and extensions
- > Extra slim Pulling hooks for narrow installation spaces are included for self-installation
- > 12 different pullers can be combined

Code	No.	Contents	
<b>2838362</b>	1100-1.04	Universal puller HIGH POWER No. 1.04/HP1A-B, 2-arm, 130x100 mm Cross-beam No. 107/1A03, 3-arm 180 mm Pulling leg No. 106/A-100-B, all-steel, leg brake 3x extension No. 106/A-100-VB with leg brake 100 mm 3x pulling leg No. 106/A-100-S, slim 100 mm 3x pulling leg No. 106/S101-S, without clamping part Spindle No. 1.1406200, 17 M14x1,5 200 mm + GEDORE L-BOXX® 136 No. 1100 L	6,3

<b>2836068</b>	1100 CT2-1.04	Universal puller HIGH POWER No. 1.04/HP1A-B, 2-arm, 130x100 mm Cross-beam No. 107/1A03, 3-arm 180 mm Pulling leg No. 106/A-100-B, all-steel, leg brake 3x extension No. 106/A-100-VB with leg brake 100 mm 3x pulling leg No. 106/A-100-S, slim 100 mm 3x pulling leg No. 106/S101-S, without clamping part Spindle No. 1.1406200, 17 M14x1,5 200 mm	4,1
----------------	---------------	--	-----

Code	No.	Designation	
<b>2836076</b>	EI-1100 CT2-1.04	Foam insert 2/2 L-BOXX 136, empty	0,2

**1100-1.04/12A**

Puller assortment  
inside/outside  
in L-BOXX® 136

**1100 L****1100 CT2-1.04/12A**

- > Max. capacity 3 and 5 t
- > For clamping widths up to Ø 200 mm external, Ø 70-260 mm internal, and clamping depths up to 300 mm
- > Quick release hook with self-supporting T-profile for better power transmission
- > 2 steel extensions each 100 and 150 mm with leg brake for quick adjustment of the legs

Code	No.	Contents	
<b>2927241</b>	1100-1.04/12A	Universal puller No. 1x 1.04/1A, 2-arm 130x100 mm Universal puller No. 1.04/2A 2-arm 200x150 mm Extension with hook brake no. 106/A-100-VB, 100 mm Extension with hook brake No. 106/B-150-VB, 150 mm Spindle No. 1.1406200 SW 17 M14x1,5 200 mm spindle No. 1.2106350KS, SW 22, G 1/2", 350 mm, with ball point + GEDORE L-BOXX® 136 No. 1100 L	9,6

<b>2927268</b>	1100 CT2-1.04/12A	Universal puller No. 1x 1.04/1A, 2-arm 130x100 mm Universal puller No. 1.04/2A 2-arm 200x150 mm Extension with hook brake no. 106/A-100-VB, 100 mm Extension with hook brake No. 106/B-150-VB, 150 mm Spindle No. 1.1406200 SW 17 M14x1,5 200 mm spindle No. 1.2106350KS, SW 22, G 1/2", 350 mm, with ball point	7,4
----------------	-------------------	---	-----

Code	No.	Designation	
<b>2927276</b>	EI-1100 CT2-1.04/12A	Foam insert 2/2 L-BOXX 136, empty	0,2

# WWW.GEDORE.COM

**1100-1.41/2A**

Separator and puller set in L-BOXX® 136





1100 L



1100 CT2-1.41/2A

- > For clamping widths from Ø 22 to 115 mm and clamping depths up to 295 mm
- > Incl. thread adaptor for internal threads M8-M18
- > For loosening and removing tightly-seated parts e.g. taper roller bearings and inner bearing races

Code	No.	Contents	
<b>2927284</b>	1100-1.41/2A	Separator puller No. 1x 1.38/2, 70-215 mm Separator No. 1.40/2, 22-115 mm Set of threaded inserts No. 1.81/20, for 1 and 2-hole applications, M14x1.5 2x extension No. 1.38/CV M14x1.5 + GEDORE L-BOXX® 136 No. 1100 L	11,5
<b>2927292</b>	1100 CT2-1.41/2A	1x 1.38/2 1x 1.40/2 1x 1.81/20 1x 1.38/CV	7,9

Code	No.	Designation	
<b>2927306</b>	EI-1100 CT2-1.41/2A	Foam insert 2/2 L-BOXX 136, empty	0,2

**1100-1.30**

Internal extractor set in L-BOXX® 136, 8-pieces




1100 L



1100 CT2-1.30


- > For inner diameter 12 - 35 mm
- > For extremely-tightly-packed ball bearings, bearing races, bushings, and shaft seals  
Simmering®
- > With slide hammer and counter support


Code	No.	Contents	
<b>2836041</b>	1100-1.30	Internal extractor No. 1.30/2,12-15 mm Internal extractor No. 1.30/3,15-19 mm Internal extractor No. 1.30/4,19-25 mm Internal extractor No. 1.30/4A, 25-30 mm Internal extractor No. 1.30/45, 30-35 mm Counter support No. 1.36/1 für 1.30/0 - 1.30/5 Sliding hammer No. 1.35/2, 500 mm, 1,7 kg + GEDORE L-BOXX® 136 No. 1100 L	7,2
<b>2836025</b>	1100 CT2-1.30	Internal extractor No. 1.30/2,12-15 mm Internal extractor No. 1.30/3,15-19 mm Internal extractor No. 1.30/4,19-25 mm Internal extractor No. 1.30/4A, 25-30 mm Internal extractor No. 1.30/45, 30-35 mm Counter support No. 1.36/1 für 1.30/0 - 1.30/5 Sliding hammer No. 1.35/2, 500 mm, 1,7 kg	5

Code	No.	Designation	
<b>2836033</b>	EI-1100 CT2-1.30	Foam insert 2/2 L-BOXX 136, empty	0,2


**1100 CT1-7**  
Combination  
spanner set  
in 1/2 L-BOXX® 136  
module, 12 pieces








Code	No.	Contents	
<b>2835908</b>	1100 CT1-7	Combination spanner No. 7, Size 8 10 12 13 14 15 16 17 18 19 22 24 mm	1,5


  

Code	No.	Designation	
<b>2835924</b>	EI-1100 CT1-7	Foam insert 1/2 L-BOXX 136, empty	0,1


**1100 CT1-19**  
Socket set 1/2"  
in 1/2 L-BOXX® 136  
module, 21 pieces




  





Code	No.	Contents	
<b>2836009</b>	1100 CT1-19	1/2" socket No. 19, AF 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm 1/2" reversible ratchet No. 1993 U-20 1/2" universal extension No. 1990 KR-5 -10, 125 250 mm	2,8





  



Code	No.	Designation	
<b>2836017</b>	EI-1100 CT1-19	Foam insert 1/2 L-BOXX 136, empty	0,085

**1100 CT1-20**  
Socket set 1/4"  
in 1/2 L-BOXX® 136  
module, 44 pieces





   

> universal with sockets  
and bits



Code	No.	Contents	
<b>2835886</b>	1100 CT1-20	1/4" socket No. 20, AF 4 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" reversible ratchet 2093 U-20 1/4" extension No. 2090-4, 97 mm 1/4" bit holder No. 699, hex Bit adapter No. 620, 1/4" hex x 1/4" square 1/4" multi-handle No. 676 1/4" screwdriver bit slotted No.680, 4 4.5 5.5 6.5 8 mm 1/4" screwdriver bit hex No. 685, 3 4 5 6 8 10 mm 1/4" screwdriver bit cross-slotted No.690, PH 1 2 3 1/4" screwdriver bit cross-slotted No. 690, PZ 1 2 3 1/4" screwdriver bit TX No. 687, T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40	0,856


Code	No.	Designation	
<b>2835894</b>	EI-1100 CT1-20	Foam insert 1/2 L-BOXX 136, empty	0,16

**1100 CT1-350**  
Chisel set  
in 1/2 L-BOXX® 136  
module, 9 pieces




> Club hammer  
ROTBAND-PLUS for  
powerful blows

Code	No.	Contents	
<b>2835932</b>	1100 CT1-350	Percussion tool set No. 106, 6 pcs. electric chisel No. 112-2508, 250x8x6 mm bricklayer's chisel No. 110-256, 250x16 mm hammer No. 620 E-1000, 1000 g	2,3

Code	No.	Designation	
<b>2835959</b>	EI-1100 CT1-350	Foam insert 1/2 L-BOXX 136, empty	0,1

**1101-7-7 R**

Combination spanner set in i-BOXX® 72, 15 pieces



- > Frequently used spanner widths as practical ratchet
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm

Code	No.	Contents	
<b>2836114</b>	1101-7-7 R	7 R 10 13 17 19 7 6 8 11 12 14 15 16 18 21 22 24 + 1101 L	2,9

**1101-D 20**

Socket set 1/4" in i-BOXX® 72 58 pieces



- > universal with sockets and bits
- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm

Code	No.	Contents	
<b>2836165</b>	1101-D 20	1/4" socket No. 20, AF 4 4.5 5 5.5 6 7 8 mm 1/4" reversible ratchet 2093 U-20 1/4" extension No. 2090-2 -4, 55 97 mm 1/4" universal joint No. 2095 Bit adaptor No. 620, 1/4" hex x 1/4" square 1/4" multi-handle No. 676 Adaptor No. 673 6.3, 1/4" hex x 1/4" square 1/4" bit holder No. 699, hex 1/4" screwdriver bit slotted No.680, 4 5.5 6.5 8 mm 1/4" screwdriver bit hex No. 685, 3 4 5 6 8 10 mm 1/4" screwdriver bit XZN No. 685 X, M5 M6 M8 1/4" screwdriver bit cross-slotted No.690, PH 1 2 3 1/4" screwdriver bit cross-slotted No. 690, PZ 1 2 3 1/4" screwdriver bit TX No. 687, T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 1/4" screwdriver bit TX with hole No. 688 T10 T15 T20 T25 T27 T30 T40 Inset box No. E-1101 BT, with two partitions	2

**1101-19**

Socket set 1/2" in i-BOXX® 72, 21 pieces



- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm

Code	No.	Contents	
<b>2836084</b>	1101-19	1/2" socket No. 19, AF 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm 1/2" reversible ratchet No. 1993 U-20 1/2" universal extension No. 1990 KR-5 -10, 125 250 mm	4,05

**1101-142-2150**

Pliers and screwdriver assortment in i-BOXX® 72, 9 pieces



- > In GEDORE i-BOXX® 72 No. 1101 L
- > Dimensions: W 367 x D 316 x H 72 mm

Code	No.	Contents	
<b>2836149</b>	1101-142-2150	3C screwdriver slot No. 2150, 4 5.5 6.5 mm 3C-Screwdriver Cross-recess No. 2160 PH 1 2 Voltage Detector Slot No. 4615 3, 220-250 V, 3 mm Multiple Pliers No.8133-180 JC, 180 mm 2C handle Power side cutters No. 8316-160 JC, 160 mm 2C handle Universal Pliers no. 142 10 TL, 10"	1,9

**1101-1.29/1K**

Ball bearing extractor set in i-BOXX® 72



- › Ball bearing extractor set for over 30 ball bearings
- › For removing ball bearings that are both on a shaft and in a housing
- › Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no drilling of the bearing cage necessary (chip free)

Code	No.	for ball bearing No.	Contents	
<b>2963485</b>	1101-1.29/1K	6000 6001 6002 6003	129/104 Head	2,61
		6005 6006 6007 6008	129.106 Spindle SW 14, M10x1.5, 160 mm	
		6009 6010 6011 6012	129/304 Head	
		6200 6201 6202 6203	129.306 Spindle SW 17, M14x2.0, 210 mm	
		6204 6205 6206 6207	129/10 Pulling leg 1 pc. 140 mm (4x)	
		6300 6301 6302 6303	129/15 Pulling leg 1 pc. 140 mm (4x)	
		6304 6305 6306 6307	129/25 Pulling leg 1 pc. 170 mm (4x)	
		6403 6404	129/30 Pulling leg 1 pc. 178mm with 3 Spacers (4x)	
			129/35 Pulling leg 1 pc. 178mm with 5 Spacers (4x)	
			1.29/0 burnished handle	
			EI-1101 CT-1.29/3K Foam insert i-BOXX 72, empty	
			1101 L GEDORE i-BOXX 72 empty	

<b>2964414</b>	1101 CT-1.29/1K	6000 6001 6002 6003	129/104 head	1,75
		6005 6006 6007 6008	129.106 Spindle SW 14, M10x1.5, 160 mm	
		6009 6010 6011 6012	129/304 head	
		6200 6201 6202 6203	129.306 Spindle SW 17, M14x2.0, 210 mm	
		6204 6205 6206 6207	129/10 pulling leg 1 pc. 140 mm (4x)	
		6300 6301 6302 6303	129/15 pulling leg 1 pc. 140 mm (4x)	
		6304 6305 6306 6307	129/25 pulling leg 1 pc. 170 mm (4x)	
		6403 6404	129/30 pulling leg 1 pc. 178mm with 3 spacers (4x)	
			129/35 pulling leg 1 pc. 178mm with 5 spacers (4x)	
			1.29/0 handle burnished	
			EI-1101 CT-1.29/3K foam insert i-BOXX 72, empty	

Code	No.	Designation	
<b>2964449</b>	EI-1101 CT-1.29/3K	Foam insert i-BOXX 72, empty	0,11

**1101-1.29/3K**

Ball bearing extractor set in i-BOXX® 72



- › Ball bearing extractor set for over 40 ball bearings
- › For removing ball bearings that are both on a shaft and in a housing
- › Non-destructive removal of deep-groove ball bearings without dismantling the shaft; no drilling of the bearing cage necessary (chip free)

Code	No.	for ball bearing No.	Contents	
<b>2964392</b>	1101-1.29/3K	6000 6001 6002 6003	129/104 head	5,78
		6004 6005 6006 6007	129.106 Spindle SW 14, M10x1.5, 160 mm	
		6008 6009 6010 6011	129/304 head	
		6012 6200 6201 6202	129.306 Spindle SW 17, M14x2.0, 210 mm	
		6203 6204 6205 6206	129/404 head	
		6207 6208 6209 6210	129.406 Spindle SW 19, M18x2.5, 230 mm	
		6211 6212 6213 6300	129/504 head	
		6301 6302 6303 6304	129.506 Spindle SW 22, M20x2.5, 235 mm	
		6305 6306 6307 6308	129/10 pulling leg 1 pc. 140 mm (4x)	
		6309 6310 6311 6403	129/15 pulling leg 1 pc. 140 mm (4x)	
		6404 6405 6406 6407	129/25 pulling leg 1 pc. 170 mm (4x)	
			129/30 pulling leg 1 pc. 178mm with 3 spacers (4x)	
			129/35 pulling leg 1 pc. 178mm with 5 spacers (4x)	
			129/40 pulling leg 1 pc. 226mm with 5 spacers (4x)	
			129/45 pulling leg 1 pc. 226mm with 11 spacers (4x)	
			1.29/0 handle burnished	
			EI-1101 CT-1.29/3K foam insert i-BOXX 72, empty	
			1101 L GEDORE i-BOXX 72 empty	

<b>2964430</b>	1101 CT-1.29/3K	6000 6001 6002 6003	129/104 head	6,195
		6004 6005 6006 6007	129.106 Spindle SW 14, M10x1.5, 160 mm	
		6008 6009 6010 6011	129/304 head	
		6012 6200 6201 6202	129.306 Spindle SW 17, M14x2.0, 210 mm	
		6203 6204 6205 6206	129/404 head	
		6207 6208 6209 6210	129.406 Spindle SW 19, M18x2.5, 230 mm	
		6211 6212 6213 6300	129/504 head	
		6301 6302 6303 6304	129.506 Spindle SW 22, M20x2.5, 235 mm	
		6305 6306 6307 6308	129/10 pulling leg 1 pc. 140 mm (4x)	
		6309 6310 6311 6403	129/15 pulling leg 1 pc. 140 mm (4x)	
		6404 6405 6406 6407	129/25 pulling leg 1 pc. 170 mm (4x)	
			129/30 pulling leg 1 pc. 178mm with 3 spacers (4x)	
			129/35 pulling leg 1 pc. 178mm with 5 spacers (4x)	
			129/40 pulling leg 1 pc. 226mm with 5 spacers (4x)	
			129/45 pulling leg 1 pc. 226mm with 11 spacers (4x)	
			1.29/0 handle burnished	
			EI-1101 CT-1.29/3K foam insert i-BOXX 72, empty	

Code	No.	Designation	
<b>2964449</b>	EI-1101 CT-1.29/3K	Foam insert i-BOXX 72, empty	0,11

**1100 W-001**

Tool board with pliers/  
screwdriver assortment  
9 pieces



> To retrofit existing  
L-BOXX®es 136



Code	No.	Contents	
<b>2836181</b>	1100	Multiple Pliers No. 8133-180 JC, 180 mm 2C-Handle	1,795
	W-001	Power side cutters No. 8316-180 JC, 180 mm 2-component handle Universal Pliers No. 142 10 TL, 10". 3C-Screwdriver slot No. 2150, 4 5.5 6.5 mm 3C-Screwdriver Cross-recess No. 2160 PH 1 2 Voltage Detector Slot No. 4615, 3 mm + tool card No. ET-1100 W	
<b>2836211</b>	S 1100	Multiple Pliers No. 8133-180 JC, 180 mm 2C-Handle	1,1
	W-001	Power side cutters No. 8316-180 JC, 180 mm 2-component handle Universal Pliers No. 142 10 TL, 10". 3C-Screwdriver slot No. 2150, 4 5.5 6.5 mm 3C-Screwdriver Cross-recess No. 2160 PH 1 2 Voltage Detector Slot No. 4615, 3 mm	

**1100 W-002 VDE**

Tool board with  
VDE pliers/screwdriver  
assortment  
9 pieces



> To retrofit existing  
L-BOXX®es 136



Code	No.	Contents	
<b>2836203</b>	1100	VDE side cutter No. VDE 8314-160 H, 160 mm	1,52
	W-002 VDE	VDE Flat nose pliers No. VDE 8132-160 H, 160 mm VDE Screwdriver slot No. VDE 2170, 2.5 3.5 5.5 mm VDE Screwdriver Cross-recess No. VDE 2160 PH 1 2 VDE Screwdriver cross recess No. VDE 2160 PZ 1 2 + Tool card No. ET-1100	
<b>2836238</b>	S 1100	VDE side cutter No. VDE 8314-160 H, 160 mm	0,8
	W-002 VDE	VDE Flat nose pliers No. VDE 8132-160 H, 160 mm VDE Screwdriver slot No. VDE 2170, 2.5 3.5 5.5 mm VDE Screwdriver Cross-recess No. VDE 2160 PH 1 2 VDE Screwdriver cross recess No. VDE 2160 PZ 1 2	

**ET-1100 W**

Lid tool board  
empty



- > retrofittable for any L-BOXX®
- > Rubber straps and pockets for inserting tools

> Mounting material for L-BOXX® 136 is included

Code	No.	W	L	H	
<b>2678322</b>	ET-1100 W	375	20	310	0,4

**1100 L**

GEDORE L-BOXX® 136 with easy carry handle



- > Made of impact and shock resistant ABS plastic
- > Top and front handle for variable transport of the L-BOXX®
- > With tool board for order and more storage space

> For integration in vehicles with Sortimo® vehicle equipment

Code	No.	W	L	H	
<b>2823691</b>	1100 L	442	357	151	2,2


### 1100 R

GEDORE L-BOXX® Roller



- > Practical, mobile trolley for all L-BOXX® types
- > 4 steerable wheels, 2 of which have brakes

- > Loadable up to 100 kg

Code	No.	W	L	H	
2823756	1100 R	646	492	184	4,4


### 1101 L

GEDORE i-BOXX® 72



- > Small parts case with transparent lid for quick viewing
- > Optional inset boxes i3 for an individual sorting

- > Suitable for i-BOXX® Rack aktiv no. 1101 K

Code	No.	W	L	H	
2823705	1101 L	367	316	72	0,9

### E-1101 BT

GEDORE Insetbox i3



- > For GEDORE i-BOXX® 72 no. 1101 L
- > As storage for small parts

- > Further subdivision possible with 2 partitions

Code	No.	W	L	H	
2840006	E-1101 BT	260	78	63	0,1


### 1102 L

GEDORE L-BOXX® Mini



- > Compatible with the GEDORE BOXX®en system
- > Especially suitable for small tools

- > Also usable as small parts box, incl. divider set

Code	No.	W	L	H	
2950529	1102 L	260	155	63	0,36

WWW.GEDORE.COM