

GEDORE



CRAFTS

SELECTION



Professional Tools for maximum Power



YOU KNOW YOUR CRAFT - WE KNOW ABOUT TOOLS ...

... and when the two come together, the perfect combination is created for fast, precise results in installations, screwdriving work, repairs and assembly. Whether you've been at it for years or are a professional in training: The tool innovations and highlights from GEDORE red are specially designed to meet the requirements of demanding trades such as plumbing, air conditioning, heating, electrics or drywall construction. For example, ring ratchet spanners with a new holding function, with which you will never lose a screw again, or screwdrivers with practical multiple functions and a large selection of lamps for optimum visibility. This tool will make your handyman's heart beat faster.



SCAN THE CODE!
DISCOVER MORE
NEW PRODUCTS.

R2165 2057

TOOL CASE AZUBI L

57 pieces

- › Basic assortment for the most common applications such as screwing, loosening, cutting, and measuring
- › Very robust case – pressure-resistant, dustproof, and waterproof, also suitable for air travel
- › The two built-in gas pressure springs keep the case open and prevent sudden closing
- › Increased storage space thanks to tool panels with insert pockets for improved organization
- › Reinforced mounting eyelets for any type of padlock



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301638	R21652057	485	212	414	57	10,82

Content

Socket set 1/4", 33 pieces 4-13 mm, 2C-Screwdriver slotted 3 4 5,5 mm, 2C-Screwdriver PH1 PH2, Combination wrench set, 12 pieces 6-22 mm, Wooden folding ruler 2 m Class III, 2C-Combination pliers 180 mm, 2C-Side cutte 160 mm, Water pump pliers 10", 7-way adjustable, Spirit level 300 mm, Engineer's hammer 300 g 300 mm ash

R2165 2101

MASTER TOOL CASE XL

101 pieces



- › Complete tradesperson assortment for screwing, loosening, cutting, measuring and many more jobs and challenges on the building site
- › Ergonomic 2C carrying handle ensures easy and relaxed tool transport
- › The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- › Increased storage space thanks to tool panels with insert pockets for improved organization
- › Strengthened lugs for every kind of padlock



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301639	R21652101	485	212	414	101	11,85

Content

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon, Socket set 1/4", 46 pieces 4-14 mm, Combination ratchet spanner set 5 pieces 8-19 mm, 2C-Bit screwdriver 1/4" 100 mm, 2C-Screwdriver slotted 4 5,5 6,5 mm, 2C-Screwdriver PH1 PH2, 2C-Screwdriver PZ1 PZ2, Voltage tester 220-250V slot 3,5 mm, 2C-Combination pliers 180 mm, 2C-Power side cutter 180 mm, Water pump pliers 10", 7-way adjustable, Flat chisel flat oval 200 x 24 x 13 mm, Spatula 60 mm, Wooden folding ruler 2 m Class III, Spirit level 300 mm, Engineer's hammer 300 g 300 mm ash

R2065 2000

TOOL CASE TOUGH CASE

empty

- › Very robust case, pressure-, dust-, and waterproof, also suitable for air travel
- › Optimal organization and access to tools, sudden closing of the case is prevented by gas struts
- › Extra large storage space and improved clarity through tool panels including insert pockets
- › Lockable with padlocks



Code	No.	Lenght mm	Width mm	Height mm	Weight kg
3301692	R20652000	485	212	414	6,5

R2095 2000

TOOL TROLLEY TOUGH CASE empty

- For mobile use, also for transport by airplane
- Robust, dust- and waterproof tool trolley
- Lockable with padlocks
- Reinforced mounting eyes for all types of padlocks
- The 2 built-in gas struts keep the case open and protect against sudden closing



Code	No.	Lenght mm	Width mm	Height mm	Weight kg
3301693	R20952000	550	225	350	6,88

R2190 2072

PLUMBERS TOOL TROLLEY 72 pieces

- Perfect for mobile use, and for air transport
- Sturdy, dust and water-tight tool trolley
- Lockable with padlocks
- Strengthened lugs for every kind of padlock
- The 2 integrated gas pressure springs keep the case open and protect it from sudden closing



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301644	R21902072	550	225	350	72	14,97

Content

Socket set 1/4", 33 pieces 4-13 mm ,Screwdriver VDE PH1 PH2 ,Screwdriver VDE PZ1 PZ2, Screwdriver VDE slot 3x0.5x100 4x0.8x100 5,5x1x125, Offset screwdriver set, 9 pieces TX T10-T50, Offset screwdriver set, 9 pieces hexagon 1,5-10 mm , Voltage tester 220-250V slot 3,5mm, 2C-Side cutter VDE 180 mm , Pipe cutter copper pipe-Ø 3-35 mm , Pipe wrench 1.1/2" 420 mm, Pliers wrench 10", Water pump pliers 10", 7-way adjustable , Flat chisel flat oval 250x25x13mm, Spatula 60 mm, Utility knife 18 mm, Hacksaw 150 mm, Wooden folding ruler 2 m Class III ,Spirit level 300 mm, Engineer's hammer 500 g 320 mm ash

R2190 2124

TOOL TROLLEY MEISTER XXL 124 pieces

- Complete range of tools for all common applications
- Robust, dust and waterproof tool trolley equipped with 2 smooth-running castors and snap-in telescopic handle for easy transport of tools
- The 2 integrated gas pressure springs keep the case open and protect it from sudden closing
- Increased storage space thanks to tool trays incl. pockets for improved organisation of the tools
- Strengthened lugs for every kind of padlock



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301641	R21902124	550	225	350	124	14,12

Content

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon ,Socket set 1/4", 46 pieces 4-14 mm ,Combination ratchet spanner set, 5 pieces 8-19 mm, 2C-Bit screwdriver 1/4" 100 mm, 2C-Screwdriver slotted 3 4 5,5mm, 2C-Screwdriver PH1 PH2, 2C-Screwdriver PZ1 PZ2, 2C-Screwdriver TX T15 T20 T25 T27, Offset screwdriver set, 9 pieces TX T10-T50, Offset screwdriver set, 9 pieces hex 1,5-10 mm, Voltage tester 220-250V slot 3,5 mm, 2C-Power side cutter 200 mm, 2C-Combination pliers 200 mm, Water pump pliers 10", 7-way adjustable, Flat chisel flat oval 200x24x13mm, Spatula 60 mm, Utility knife 18 mm, Wooden folding ruler 2 m Class III, Engineer's hammer 500g 320mm ash

R2165 2089

TOOL CASE ELECTRICIAN

89 pieces

- › Practical selection of tools for numerous installations on different systems (electrical)
- › Extremely sturdy case, pressure, dust and water-tight, also ideal for air travel
- › Optimal organization and easy access to tools; sudden closing of the case is prevented by gas pressure springs
- › Extra-big storage space and clearer overview with tool panels including insert bag
- › Lockable with padlocks



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301643	R21652089	485	212	414	89	12,54

Content

Bit-Box 1/4" 32 pieces, slot PH PZ TX hexagon, Socket set 1/4", 33 pieces 4-13 mm, Combination ratchet spanner set, 5 pieces 8-19 mm, 2C-Bit screwdriver 1/4" 100 mm, Screwdriver VDE slot 3x0.5x100 4x0.8x100 5,5x1x125, Screwdriver VDE PH1 PH2, Screwdriver VDE PZ1 PZ2, Voltage tester 220-250V slot 3,5mm, 2C-Side cutter VDE 180 mm, 2C-Telephone plier VDE 200 mm 45° Wire stripper StrippMax-Auto, Water pump pliers 10", 7-way adjustable, Spatula 60 mm, Utility knife 18 mm, Wooden folding ruler 2 m Class III, Spirit level 300 mm, Engineer's hammer 300 g 300 mm ash

R3300 3051

1/4" BIT SET

51 pieces

- › Set with common bit sizes and drive adapter with bit lock
- › Long bits
- › Reversible ratchet with 2C-handle and 5° return angle and reversible lever for convenient change of direction
- › Bit adapter enables alternative drive of the bits with the reversible ratchet



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301350	R33003051	230	130	52	51	0,98

Content

1/4" Sockets 4 5 5.5 6 7 8 9 10 11 12 13 14 mm, 1/4" Reversible ratchet, 1/4" Extension 100mm, 1/4" Adapter square x hexagon, 1/4" Bits 25mm, PH1 (1x), PH2 (2x), PH3 (1x), PZ1 (1x), PZ2 (2x), PZ3 (1x), Slotted 4 4.5 6.5mm, TX T10 T15 T20 T25 T27 T30 T40, Hexagon socket 2 3 4 5 6 mm, Bit adapter 1/4" square x 1/4" hex, 1/4" Bits 90mm, PH1 (1x), PH2 (1x), PZ1 (1x), PZ2 (1x), TX T20 T25 T30, Hexagon socket 3 4 5 6 mm, Slotted 5.5mm

R3660 1009 / R3640 1009

ALLEN KEY SET IN OR TX WITH COLOUR CODING,

9 pieces, long

- › Colour coded plastic coating to find the right L-key faster
- › Long pattern
- › Long design with ball head (R36601009)
- › Round shape
- › Folding holder with belt clip



Code	No.	Pieces	Weight kg
3301332	R36601009	9	0,6

Content

IN 1,5 2 2,5 3 4 5 6 8 10 mm

Code	No.	Pieces	Weight kg
3301333	R36401009	9	0,52

Content

TX T10 T15 T20 T25 T27 T30 T40 T45 T50

R4600 3232

1/4"+1/2" SOCKET SET


232 pieces

> Ideal for all jobs for tradespeople or in the workshop

Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3300185	R46003232	452	340	86	232	8,9

Content

2C-1/4" Reversible ratchet length 150 mm Return angle 5°, 2C-1/2" Reversible ratchet length 250 mm Return angle 5°, 1/4" Sockets 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 | 25 mm, 1/2" Sockets 15 16 17 19 20 21 22 24 | 38 mm, 1/2" Sockets 27 30 32 | 42 mm, 1/4" T-handle with slider, 1/4" Socket extension 50 100 mm, 1/2" Socket extension 125 - 250 mm, 1/4" Universal joint length 33 mm, 1/2" Universal joint length 66 mm, 1/4" Square socket handle 165 mm, 1/4" Sockets TX E4 E5 E6 E7 E8 | 25mm, 1/2" Sockets TX E10 E11 E12 E14 E16 E18 E20 | 38mm, E22 L 40mm, E24 L41mm, Adator 3/8" x 1/2", 1/2" Bit adaptor square x 5/16" hexagon, 1/4" Bit screwdriver L 100 mm, 1/4" Bits 25 mm long: Hexagon socket 3 4 5 6, PH 5x 0 1 2 3 each, PZ 2x 0 1 each 3x 2 3, TX T8 T9 T10 T15 T20 T25 T27 T30 TXB T40 T9 T10 T15 T20 T25 T27 T30 T40, Spanner 5 6 8 XZN 4 6 8 TRI-WING 1 2 3 Torque 6 8 10, 1/4" Bits hex 38 mm long 5 5.5 6 7 8 9 10 11 12 13 mm, 1/4" Bit holder 60+80+120mm, 30-piece Bit box with 1/4" bits, 25 mm long: internal hexagon 2 3 4 5 5.5 6 mm, slot 4 5.5 6 mm, PH 1 2 3, PZ 1 2 3, TX T10 T15 5xT20 4xT25 4xT27 T30 T40, TXB T10 T15 T20 T25 T27 T30 T40, 5/16" Bits 30 mm long: slotted 6 6.5 8, PH 1 2 2x3 4 each, PZ 1 2 2x3 4 each, TX T25 T27 T30 T40 T45 T50, TXB T 25 T27 T30 T40 T5 T45, Combination wrench 6 8 10 11 12 13 14 15 16 17 18 19 mm, Offset screwdriver 1.5 2 2.5 3 4 5 6 8 mm, Offset screwdriver TX T9 T10 T15 T20 T25 T27 T30 T40, Insert holder 1/4" square x 1/4" hex length 25mm



R4600 3100

1/4" + 1/2" SOCKET SET

100 pieces

> Ideal for all maintenance works, in the trade or in the workshop

Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3300063	R46003100	348	365	105	100	10

Content

1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth | 150 mm, 1/4" square plug-in handle 165 mm, 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm, 1/4" socket extension 50 100 mm, 1/4" sliding T-bar with slider | 115 mm, 1/4" universal joint | 32 mm Bit adapter, 1/4" sq. x, 1/4" hex | 25 mm, 1/4" bits in-hex 3 4 5 6 8 10 | 25 mm, 1/4" bits slotted 4 5.5 7 | 25 mm, 1/4" bits cross-head PH 1 2 3 4 | 25 mm, 1/4" bits cross-head PZ 1 2 3 | 25 mm, 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 | 25 mm, 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth | 250 mm, 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm, 1/2" socket extension 125 250 mm, 1/2" universal joint | 65 mm, Socket extension piece/slider 3/8" x 1/2" | 44 mm, Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm, Hexagon Allen key set 1.5 2 2.5 3 4 5 6 8 10 mm, Adjustable spanner 10" 250 mm, Screwdriver slotted 4 5.5 6.5, Screwdriver cross-head PH 1 2 3, Side cutter 180 mm, Telephone pliers 200 mm, Water pump pliers 10" 250 mm, Hammer 500 g

NEW

R2165 2005 PHOTOVOLTAIC KIT

- > Complete set for MC4® connectors: Includes all necessary tools for professional installation and maintenance of PV connector systems
- > Matching crimping tool (R28902205): Suitable for conductor cross-sections of 2.5 / 4.0 / 6.0 mm² – specially designed for MC4® connectors
- > MC4® assembly wrench set (R99300000): For easy tightening and loosening of cable glands as well as for opening MC4® and MC4® Evo2 solar connectors
- > VDE cable cutter (R29602200) for Al & Cu cables up to Ø 10 mm (50 mm²)
- > Wire stripping tool (R28200185) for 0.2 – 6.0 mm² (24-10 AWG) wires
- > Robust plastic case: With foam insert and custom cutouts for each tool
- > Compact size & weight of 1,905 g – ideal for mobile use




Code	No.	Length mm	Width mm	Height mm	Pieces	Weight kg
3301901	R21652005	357	275	77	5	1,905

Content

R28200185 Wire stripper, R28900205 Crimping pliers, R29602200 VDE cable cutter, R99300000 MC4 assembly tool, 2-pieces

R9930 0000 MC4 ASSEMBLY TOOL 2 pieces


- > Special tool for photovoltaics: Ideal for tightening and loosening cable glands on MC4® and MC4® Evo2 solar connectors
- > Locking solution: Enables unlocking of MC4® housings even with the safety sleeve attached
- > Lightweight and compact: Weighs only 14 g and is 130 mm long, easy to handle and transport
- > High-quality material: Made from polycarbonate for increased stability and durability



Code	No.	Length mm	Width mm	Height mm	Weight kg
3301905	R99300000	130	38	20	0,014

R9920 0000 8IN1 SHK MULTIFUNCTION KEY

- > Combines 8 tools in one – ideal for plumbing installations on faucets, shut-off valves, filter baskets, and more
- > ABS plastic and high-quality aluminum – robust, wear-resistant, and environmentally friendly
- > 360° rotatable head allows easy access to hard-to-reach places
- > Ergonomic design with non-slip grip for safe and comfortable use
- > Compact, lightweight format – ideal for mobile use and space-saving storage
- > Facilitates assembly and disassembly of fastening nuts – saves time and effort
- > Easy to clean and maintain – even with regular use



Code	No.	Width mm	Height mm	Weight kg
3301923	R99200000	50	50	0,179

NEW

R2820 2125

STRIPPING TOOL

- > Application area: Suitable for convenient stripping of all common round and damp-proof cables with a diameter of 8 to 13 mm, such as NYM cables from 3 x 1.5 mm² to 3 x 2.5 mm², Cat5e & Cat6, RG6 & RG59
- > Suitable for flexible and solid conductors from 0.5 to 6.0 mm² (20-10 AWG) – ideal for various applications in the electrical sector
- > Ergonomic design: Comfortable handling and increased safety due to ergonomic grip shape; the tool design minimizes slipping during use
- > Tool head: Rounded, space-saving tool head fits perfectly to modern socket geometry
- > Design: Extended shape allows better access when stripping, even in deep cavity wall boxes and hard-to-reach places



Code	No.	Length mm	Width mm	Height mm	Cable diameter mm ²	Weight kg
3301928	R28202125	125	26	25	0,5 bis 6,0 mm ²	0,048

NEW

R9095 2007

DEEP HOLE MARKER

- > Versatile application: Ideal for precise markings on wood, metal, plastic and other materials
- > Replacement leads: 2 black, 2 red, and 2 yellow
- > Robust leads: Break-resistant and durable, even with intensive use
- > Integrated sharpener: Enables quick sharpening directly at the marker
- > Practical quiver: With clip for easy attachment to clothing or tool bag
- > Ergonomic design: Fits well in the hand and allows precise work even in hard-to-reach places




Code	No.	Length mm	Width mm	Height mm	Weight kg
3301914	R90952007	157	18	25	0,028

R9920 0001

MAGNETIC LIFTER

- > 4-prong claw grabber: Allows secure gripping and holding of small objects in hard-to-reach areas
- > Integrated LED lighting: Provides optimal visibility in dark or poorly lit work areas
- > Flexible shaft: Flexible design allows access to objects in narrow or angled spaces
- > Magnetic tip: Ideal for picking up metallic small parts such as screws or nuts
- > Ergonomic handle: Provides comfortable grip and precise control when grabbing
- > Versatile applications: Suitable for workshops, households, plumbing, and automotive applications



Code	No.	Length mm
3301927	R99200001	720

Weight kg
0,134

NEW

NEW

R4710 2004

ADAPTER SET

4 pieces

- > Versatile adapter sizes: Includes 1/4", 3/8", and 1/2" adapters and 1/4" magnetic bit holder for flexible use
- > Robust material: Made of heat-treated chrome-vanadium steel for high durability
- > Practical organizer: Supplied in a compact holder for easy storage and quick access
- > Manganese phosphate coating: Provides additional protection against rust and corrosion
- > Compatibility: Fits all quick-change systems and standard drill chucks, suitable for machine use



Code	No.	Content	Pieces	Weight kg
3301922	R47102004	Adapter 1/4", 3/8" and 1/2", Magnetic bit holder 1/4"	4	0,122

R0170 0008

MULTI-FITTING KEYS

- > Versatile applications: Combines six common key profiles in one tool – ideal for control cabinets, heating systems, elevators, and industrial systems
- > Compact design: Lightweight and handy, fits easily into any tool bag or pocket
- > Quick tool change: Easy switching between different key profiles saves time and increases efficiency



Code	No.	Content	Length mm	Width mm	Height mm	Weight kg
3301908	R01700008	PH 2, SL 7, double-bit 6, square 8x8 & 6x6, and triangular 7x3	72	72	15	0,065

R4711 2002

BIT HOLDER SET WITH QUICK-TURN SLEEVE

2 pieces

- > 2-piece set: Includes two magnetic bit holders in 200 mm length with quick-turn sleeves for precise and fast work – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Quick-turn sleeve: Allows fast manual rotation without changing tools
- > Robust design: High-quality materials for durable and reliable use



Code	No.	Pieces	Weight kg
3301915	R47112002	2	0,229

R4711 2102

BIT HOLDER SET

2 pieces

- > 2-piece set: Includes two magnetic bit holders in 75 mm length – ideal for hard-to-reach places
- > Suitable for common drive sizes: Bits in 1/4" (6.3 mm) as well as sockets in 3/8" and 1/2" – versatile for everyday workshop use
- > Robust design: High-quality materials for durable and reliable use



Code	No.	Pieces	Weight kg
3301916	R47112102	2	0,076

R0750 1019

DOUBLE ENDED RING RATCHET SPANNER

4in1

- › Straight pattern
- › With lever change



Code	No.	Width across flats mm	Lenght mm	Weight kg
3300899	R07501019	10 x 13 x 17 x 19	210	0,21

R0750 1002

DOUBLE ENDED RING RATCHET SPANNER SET

2 pieces

- › 2 wrenches for 63 screw/bolt heads
- › With lever change
- › 72 teeth Ratchet mechanism



Code	No.	Content	Pieces	Weight kg
3300900	R07501002	Hexagon, bi-hex 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4", SPLINE, hexagon, bi-hex A/F 8 10 11 13 14 16 17 19 mm, TX E10 E12 E14 E16 E18 E20 E22 E24, Square 9/32 11/32 3/8 7/16 15/32 17/32 9/16 5/8", Square A/F 7 9 11 12 13 14 16 mm	2	0,398

R0730 5005

FLEXIBLE HEAD COMBINATION RATCHET SPANNER SET

5 pieces

- › With 180° swivel head
- › 72 teeth Ratchet mechanism
- › Return angle 5°
- › Jaw set at 15°



Code	No.	Content	Pieces	Weight kg
3300890	R07305005	Flexible head combination ratchet spanner 8 10 13 17 19 mm	5	1,158

R0720 1XXX

COMBINATION RATCHET SPANNER

reversible with hold function

- Hold function in the ratchet head for holding and safely guiding nuts or screws and bolts
- Problem solver for long threaded rods when long sockets are not available or sufficient
- 15° angled ratcheting ring head for unobstructed work



Code	No.	Width across flats mm	Lenght mm	Weight kg
3301008	R07201080	8	138	0,03
3301009	R07201090	9	150	0,04
3301004	R07201100	10	161	0,063
3301010	R07201110	11	165	0,07
3301011	R07201120	12	165	0,08
3301005	R07201130	13	183	0,103
3301012	R07201140	14	190	0,12
3301013	R07201150	15	199	0,13
3301082	R07201160	16	209	0,14
3301006	R07201170	17	225	0,19
3301083	R07201180	18	235	0,21
3301007	R07201190	19	245	0,243

R0720 XXXX

COMBINATION RATCHET SPANNER SET

reversible with hold function

- Hold function in the ratchet head for holding and safely guiding nuts or screws and bolts
- 15° angled ring ratchet head, reversible clockwise/anticlockwise rotation
- Ratchet mechanism with 72 teeth
- Jaw set at 15°
- Matt chrome-plated surface



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301084	R07205106	295	105	45	6	0,85

Content

8 10 12 13 17 19 mm

Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301085	R07205112	280	245	44	12	1,8

Content

8 9 10 11 12 13 14 15 16 17 18 19 mm

NEW

R2820 0185

WIRE STRIPPER

- > Suitable for flexible and solid conductors from 0.2 to 6.0 mm² – ideal for a wide range of electrical applications
- > Automatic adjustment to conductor cross-sections – no manual re-adjustment required
- > Integrated side cutter – for copper and wire conductors up to 2 mm diameter
- > Precise length measurement from 5 to 12 mm – for consistent stripping results
- > Lightweight at only 133 g – for fatigue-free work during prolonged use



Code	No.	Lenght mm	Weight kg
3301902	R28200185	192	0,133

NEW

R2890 2205

CRIMPING PLIERS

- > Suitable for cross-sections of 2.5 / 4.0 / 6.0 mm² – specially for MC4® connectors
- > Easy handling
- > Ergonomics: High crimping force due to efficient lever transmission; ergonomically shaped handles with multi-component sleeves for comfortable handling



Code	No.	Capacity mm ²	Lenght mm	Width mm	Weight kg
3301903	R28902205	2,5 mm ² 4,0 mm ² 6,0 mm ²	204	68	0,391

NEW

R2960 2200

VDE CABLE SHEARS

- > Burr-free cutting: Enables clean, smooth, and burr-free cutting of copper and aluminum cables up to Ø 10 mm (50 mm²)
- > Ergonomic handles: The ergonomically shaped plier handles provide comfortable and fatigue-free working
- > Chrome-plated surface: The high-quality chrome-plated plier surface protects against rust and increases durability
- > VDE insulation: Tested according to IEC 60900 for safe work on live parts up to 1,000 V AC



Code	No.	Cable cross-section mm ²	Cable diameter mm	Total length mm	Weight kg
3301904	R29602200	50	10	210	0,274

NEW

R2951 2205

VDE TELEPHONE PLIERS offset



- > VDE tested up to 1,000 V: Safe work on live parts according to VDE 0682 Part 201 and EN/IEC 60900
- > Induction-hardened cutting edges: Durable cutting edges for hard and soft wires
- > Ergonomic 2-component handle: Non-slip and comfortable grip for optimal power transmission

Code	No.	Lenght mm	Weight kg
3301907	R29512205	205	0,243

R2818 4010

PLIERS WRENCH

- > Pliers and wrench in one tool
- > Maximum capacity: 50mm or 1.7/8"
- > 17 setting positions
- > In acc. with DIN ISO 5743



Code	No.	Clamping reach mm	Lenght mm	Weight kg
3300016	R28184010	50	260	0,533

R2810 XXXX

WATER-PUMP-PLIERS

7 settings

- › Acc. to DIN 8976 Form C
- › Lengthways-serrated grip surfaces
- › With box joint
- › 7 settings
- › With box joint



Code	No.	Clamping reach mm	Lenght inch	Lenght mm	Weight kg
3301174	R28100007	25	7	180	0,16
3301175	R28100010	33	9,8	250	0,3
3301176	R28100012	42	11,8	300	0,406

R2800 2204

MULTI-WIRE STRIPPER

- › 5-in-1 function: For gripping, stripping, cutting, separating, and crimping
- › Separation function: Suitable for thread sizes M3 and M3.5
- › Crimping areas: Suitable for cable cross-sections from 0.75 – 2.5 mm²
- › Stripping function: For insulation diameters from 1 – 3.2 mm
- › Ergonomic 2-component grips: Non-slip and comfortable for prolonged use



NEW

Code	No.	Lenght mm	Weight kg
3301910	R28002204	203	0,262

R2800 2220

MULTI-COMBINATION PLIERS

- › 3-in-1 function: For cutting, crimping, and gripping cables and wires
- › Cutting function: Suitable for wire up to 2 mm in diameter
- › Crimping areas: Suitable for cable cross-sections from 0.5 – 1 mm² and 1.5 – 2.5 mm²
- › Stripping function: For insulation diameters from 1 – 2.6 mm
- › Ergonomic 2-component grips: Non-slip and comfortable for prolonged use



NEW

Code	No.	Lenght mm	Weight kg
3301911	R28002220	220	0,36

R2800 2200

MULTI-SIDE CUTTER

- › Side cutter with multiple functions – suitable for cutting, gripping, and holding
- › Cutting capacity up to 2 mm wire diameter – ideal for soft and medium wires
- › Crimping possible for conductor cross-sections from 0.5 – 1 mm² and 1.5 – 2.5 mm²
- › Stripping area for insulation diameters from 1 – 2.6 mm – precise cable stripping
- › 2-component grip with non-slip surface – secure hold and fatigue-free work



NEW

Code	No.	Lenght mm	Weight kg
3301912	R28002200	200	0,309

R2800 2235

MULTI FLAT-ROUND PLIERS

- › Flat-round pliers with additional functions for cutting, crimping, and stripping
- › Cutting area up to 2 mm wire diameter – suitable for various cable types
- › Crimping function for cross-sections 0.5 – 1 mm² and 1.5 – 2.5 mm² – ideal for electrical connections
- › Integrated stripping zones for diameters from 1 – 2.6 mm – clean insulation removal
- › Ergonomic 2C handle – safe and comfortable handling during repeated use



NEW

Code	No.	Lenght mm	Weight kg
3301913	R28002235	235	0,344

NEW

R3800 2002**2IN1 STUBBY SCREWDRIVER**

- > 2-in-1 function: 1 stubby bit holder & 1 double bit (SL 6 & PH 2)
- > Compact shape — ideal for work in tight spaces
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work



Code	No.	Lenght mm	Width mm	Height mm	Weight kg
3301917	R38002002	93	35	35	0,056

NEW

R3800 2206**6IN1 SCREWDRIVER**

- > 6-in-1 function: 1 handle, 1 shaft with 1/4" and 5/16" holder, 1x 1/4" double bit PH 1 & SL 5, 1x 5/16" double bit PH 2 & SL 6
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work



Code	No.	Lenght mm	Width mm	Height mm	Weight kg
3301918	R38002206	204	40	40	0,166

R3800 2004**4IN1 PRECISION BIT SCREWDRIVER**

- > 4-in-1 function: 1 handle, 1 shaft for precision bit holder, 1x double bit PH 00 & SL 1.5, 1x double bit PH 0 & SL 3
- > Ball lock for secure bit retention
- > Ergonomic 2-component handle: Combination of hard and soft zones for comfortable and precise work



Code	No.	Lenght mm	Width mm	Height mm	Weight kg
3301920	R38002004	170	24	24	0,044

NEW

R3800 2041**41IN1 PRECISION SCREWDRIVER SET**
41 pieces

- > Extensive set with 41 parts — ideal for repairs on electronics, watches, smartphones, glasses, and models
- > Ergonomic handle made of PP + TPV — non-slip, soft, and comfortable for precise work
- > 40 precision bits with 3.5 mm shaft diameter and 26 mm shaft length — made of high-quality S2 steel



Code	No.	Lenght mm	Width mm	Height mm	Pieces	Weight kg
3301921	R38002041	205	120	44	41	0,367

Content

6x Slotted bits: 1.0 mm, 1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 5x Phillips: PH 000, PH 00, PH 0, PH 1, PH 2, 2x Square bits: SQ1, SQ2, 2x TX: T3, T4, 7x Tamperproof TX: T5, T6, T7, T8, T9, T10, T15, 3x Hex: 0.9 mm, 1.3 mm, 1.5 mm, 4x Tamperproof Hex: 2.0 mm, 2.5 mm, 3.0 mm, 3.5 mm, 2x Triangle bits: size #2, #3, 3x Pentalobe: P2, P5, P6, 3x Y-bits (Tri-Wing): #000, #0, #1, 1x Stand-off bit: S0, 2x Spanner bits (U-shape): size #4, #6

NEW
R9570 0176

CLAMP LAMP 1700

- > Extremely high brightness: Up to 1700 lumens, continuously adjustable in 4 modes (Eco 100 lm, Low 300 lm, Medium 700 lm, High 1700 lm)
- > Very long runtime: Up to 24 hours operating time in Eco mode
- > Robust construction: IP65 and IK07 protection – dustproof, waterproof, and shockproof
- > Foldable (176.2 x 104.1 x 95.2 mm) and unfolded (205 x 104.1 x 174.8 mm)
- > 360° ball joint for flexible alignment
- > Practical mounting options: Clamp for attaching or standing, strong holding magnet for hands-free work
- > USB-C charging function: Includes USB Type-A to USB Type-C charging cable, approx. 5 hours charging time
- > Stable yet portable



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301925	R95700176	1.700	104,1	95,2	176,2	0,628

NEW
R9560 0128

STICK LAMP 150

- > Moderate brightness: 150 lumens, ideal for targeted illumination of small work areas
- > Compact design – lightweight and handy
- > Switch functions: top LED (100 lm), main LED (150 lm), off – easy operation
- > Protection & robustness: IP54 & IK07 protection against dust and shock
- > Long runtime: Up to 3.5 hours of illumination
- > USB-C charging: Quick charge function, approx. 2.5 h charging time, incl. charging cable
- > Design: Matte finish with black on-off switch



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301924	R95600128	150	128,2	23,4	17,9	0,06

NEW
R9530 0073

MINI-BOOST 1000

- > High brightness: Up to 1000 lumens in boost mode for extremely bright light
- > Long runtime: Up to 10 hours of light output in reduced modes
- > Versatile switch functions: 4 modes: 50% (250 lm), 100% (500 lm), Boost (1000 lm), Off – easy operation
- > Robust design: Aluminum housing with IP44 protection and IK07 shock resistance
- > Practical features: Strong holding magnet in the clip, USB-C charging port, charge control and remaining capacity display
- > Compact & lightweight – perfect for on the go
- > Scope of delivery: USB Type-C charging cable included



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301926	R95300073	1.000	73	22,5	21	0,056

R9550 0058

HEADLAMP 260



- > 4 light levels (50-260 lm)
- > Sturdy ABS housing
- > Charging time: 4 h; lighting time: up to 9 h
- > Gesture control for contactless switching on & off
- > Elastic headband, individually adjustable, easy take-off

Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301762	R95500058	260	58	37	44	0,052

R9560 0320

INSPECTION LAMP

- › Ideal as a work lamp for mobile use in various areas
- › 5 switching functions for adjustable brightness
- › Magnet and 180° rotatable hook provide different holding options
- › Enables flexible and mobile use, as well as hands-free work



Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301760	R95600320	500	320	33	43	0,26

R9520 0111

MINI WORK LAMP UV



- › 2-in-1: for applications with white and UV light
- › UV light, ideal for automotive use
- › Compact dimensions save space and weight
- › Two magnets ensure variable mounting options
- › Practical clip for attaching to a belt, shirt or trousers
- › Charging time: 3 h; lighting time: up to 7 h

Code	No.	Luminous flux	Length mm	Width mm	Height mm	Weight kg
3301763	R95200111	340	111,4	32,7	27,6	0,108

GEDORE

Brands of the GEDORE Group
gedore.com · ochsenkopf.com



Cesta na Brdo 85, 1000 Ljubljana
tel:+386 1 256 10 56, fax:+386 1 256 10 55
mailto:info@energe.si, <http://www.energe.si>

CRAFTS SELECTION

Valid from 15 September 2025
to 31 March 2026, while stocks last.

*Delivery without decoration. Technical specifications subject to modifications.
No liability for printing errors. Please ask your local dealer.